

Recommended makes and types of summer tyres

Type 911/912	up to 1968						
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	6Jx15	36	FA/RA	195/65 R15 91V	Pirelli P 6000 2)	N1	911, '65-'67 models
15-inch					Dunlop SP Sport FastResponse	N0	912, '66-'68 models
Type 911	as of 1969						
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	6Jx15	36	FA	195/65 R15 94W	Pirelli P 6000 2)	N1	911, as of '69 model
15-inch	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N1	
Wheel size	6Jx16	36	FA	205/55 ZR16	Bridgestone Potenza S-02	N3	911, as of '69 model
16-inch					Continental ContiSportContact	N1	
					Michelin Pilot Exalto PE2	N0	
	7Jx16	23,3	RA	205/55 ZR16	Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
					Michelin Pilot Exalto PE2	N0	
	6Jx16	36	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	911, as of '69 model
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
					Michelin Pilot Exalto PE2	N0	
	7Jx16	23,3	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
					Michelin Pilot Exalto PE2	N0	
Type 911	Turbo (930)						
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	7Jx16	23,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	911 Turbo ('75-'89 models)
16-inch					Bridgestone Potenza S-02	N3	911 Carrera "Turbo Look"
					Continental ContiSportContact	N1	('85-'86 models)
	8Jx16	10,6	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
	7Jx16			205/55 ZR 16	Continental ContiSportContact	N1	911 Carrera "Turbo Look"
	9Jx16			245/45 ZR 16	Continental ContiSportContact	N1	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h (150 mph)
W = 270 km/h (170 mph)

1) Only one version of this tyre is produced. It therefore has no () specification code. However, it still fully meets all Porsche requirements and is therefore approved accordingly.

Only this tyre can be fitted with a tube! The fitting of all other tyres with tubes is not permitted.

2) Load index/speed index 91W

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 914	up to 1968					
	Category	RO	Axles	Tyre size	Tread designation	Spec.
Wheel size	6Jx15	36	FA/RA	195/65 R15 91W	Pirelli P 6000 2)	N1
15-inch					Dunlop SP Sport Fast Response	N0
	6Jx15	36	FA	195/65 R15 91W	Pirelli P 6000 2)	N1
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N1
						914/6, '70-'72 models

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h (150 mph)
W = 270 km/h (170 mph)

1) Only one version of this tyre is produced. It therefore has no () specification code. However, it still fully meets all Porsche requirements and is therefore approved accordingly.

Only this tyre can be used with a tube! The fitting of all other tyres with tubes is not permitted.

2) Load index/speed index 91W

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 924							
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicle
Wheel size	7Jx15	23,3	FA/RA	195/65 R15 91W	Pirelli P 6000 2)	N1	924, '76-'85 models
15-inch					Dunlop SP Sport FastResponse	N0	924 Carrera GT, '81 model
	7Jx15	23,3	FA/RA	215/60 R15 94W	Pirelli P 6000	N1	924 Turbo, '79-'82 models
							924 Carrera GT, '81 model
Wheel size	6Jx16	52,3/	FA/RA	205/55 ZR16	Bridgestone Potenza S-02	N3	924 Turbo, '79-'82 models
16-inch		53			Continental ContiSportContact	N1	924 S, '86-'88 models
					Michelin Pilot Exalto PE2	N0	
	6Jx16	52,3/	FA	205/55 ZR16	Bridgestone Potenza S-02	N3	924 Turbo, '79-'82 models
		53			Continental ContiSportContact	N1	924 S, '86-'88 models
					Michelin Pilot Exalto PE2	N0	
	7Jx16	52,3/	RA	205/55 ZR16	Bridgestone Potenza S-02	N3	
		55			Continental ContiSportContact	N1	
					Michelin Pilot Exalto PE2	N0	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h (150 mph)
W = 270 km/h (170 mph)

1) Only one version of this tyre is produced. It therefore has no ® specification code. However, it still fully meets all Porsche requirements and is therefore approved accordingly.

2) Load index/Speed index 91W

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 928							
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	7Jx16	65	FA/RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	928, '78-'82 models
16-inch					Bridgestone Potenza S-02	N3	928 S, '80-'86 models
					Continental ContiSportContact	N1	
					Michelin Pilot Exalto PE2	N0	
	7Jx16	65	FA	225/50 ZR16	Bridgestone Potenza S-02	N3	928 S4, CS, GT '89
					Continental ContiSportContact	N1	
	8Jx16	52,3	RA	245/45 ZR16	Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
Wheel size	7.5Jx17	65	FA	225/45 ZR17	Bridgestone Potenza S-02	N3	928 S4, CS, GT '89, GTS
17-inch					Michelin PilotSport PS2	N3	
	9Jx17	55	RA	255/40 ZR17	Bridgestone Potenza S-02	N3	
					Michelin PilotSport PS2	N3	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 944							
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size 16-inch	7Jx16	23,3	FA/RA	205/55 ZR16	Michelin Pilot Exalto PE2	N0	944, '82-'86 models
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
	7Jx16	23,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	944, '82-'86 models
					Bridgestone Potenza S-02	N3	944 Turbo, '85-'86 models
					Continental ContiSportContact	N1	
					Dunlop SP 9000		
					Michelin Pilot Exalto PE2	N0	
	8Jx16	23,3	RA	225/50 ZR16	Pirelli P Zero Asymetrico	N3	
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
					Dunlop SP 9000		
					Michelin Pilot Exalto PE2	N0	
	7Jx16	52,3/ 55	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	944, '87-'89 models
					Bridgestone Potenza S-02	N3	944 S, '87-'88 models
					Continental ContiSportContact	N1	944 S2, '89-'91 models
					Dunlop SP 9000		
					Michelin Pilot Exalto PE2	N0	
	8Jx16	52,3/ 52	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
					Dunlop SP 9000		
					Michelin Pilot Exalto PE2	N0	
	7Jx16	65	FA	225/50 ZR16	Bridgestone Potenza S-02	N3	944 S2 R01 chassis
					Continental ContiSportContact	N1	
	9Jx16	60	RA	245/45 ZR16	Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
Wheel size 17-inch	7.5Jx17	65	FA	225/45 ZR17	Bridgestone Potenza S-02	N3	944, '87-'89 models
					Michelin PilotSport PS2	N3	944 S, '87-'88 models
	9Jx17	55	RA	255/40 ZR17	Bridgestone Potenza S-02	N3	944 S2, '89-'91 models
					Michelin PilotSport PS2	N3	944 Turbo, '87-'91 models

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 959						
	Category	RO	Axles	Tyre size	Tread designation	Spec.
Wheel size	8Jx17 DL	44	FA	235/45 ZR17	Bridgestone RE 71	N0
17-inch	10Jx17 DL	28,3	RA	255/40 ZR17	Bridgestone RE 71	N0

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 964							
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size 16-inch	6Jx16	52/	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	964 Carrera 2, '90-'94 models
		52,3			Michelin Pilot Exalto PE2	N0	964 Carrera 4, '89-'94 models
					Bridgestone Potenza S-02	N3	964 Carrera RS, '92 model
					Continental ContiSportContact	N1	964 Speedster, '93 & '94 models
	8Jx16	52/	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	
		52,3			Michelin Pilot Exalto PE2	N0	
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
	7Jx16	55	FA	205/55 ZR16	Bridgestone Potenza S-02	N3	964 Carrera 4, '89-'94 models
					Continental ContiSportContact	N1	964 Carrera RS, '92 model
	9Jx16 *)	52,3	RA	245/45 ZR16	Bridgestone Potenza S-02	N3	
					Continental ContiSportContact	N1	
Wheel size 17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	964 Carrera 2, '90-'94 models
					Bridgestone Potenza S-02A	N4	964 Carrera 4, '89-'94 models
					Continental ContiSportContact2	N2	964 Carrera RS, '92 model
					Michelin PilotSport PS2	N3	964 Speedster, '93 & '94 models
	8Jx17	52	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	
					Bridgestone Potenza S-02A	N4	
					Continental ContiSportContact2	N2	
					Michelin PilotSport PS2	N3	
	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	964 Carrera 2, '90-'94 models
					Bridgestone Potenza S-02A	N4	964 Carrera 4, '89-'94 models
					Bridgestone Potenza S-02	N3	964 Carrera RS, '92 model
					Continental ContiSportContact2	N2	964 Speedster, '93 & '94 models
	9Jx17	55	RA	255/40 ZR17	Michelin PilotSport PS2	N3	
					Pirelli P Zero Rosso	N3	
					Bridgestone Potenza S-02A	N4	
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact2	N2	
					Michelin PilotSport PS2	N3	
Type 964	Turbo						
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size 17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	964 Turbo, '91 & '92 models
					Bridgestone Potenza S-02A	N4	964 Turbo S, '92 model
					Bridgestone Potenza S-02	N3	964 C2 "Turbo Look", '92-'93
					Continental ContiSportContact2	N2	964 C4 "Turbo Look", '93 & '94
					Michelin PilotSport PS2	N3	
	9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	
					Bridgestone Potenza S-02A	N4	
					Bridgestone Potenza S-02	N3	
					Continental ContiSportContact2	N2	
					Michelin PilotSport PS2	N3	
	8Jx17	52	FA	225/45 ZR17	Bridgestone S01	N0	964 Turbo, '91 & '92 models
					Bridgestone S01	N0	964 Turbo S, '92 model
	9.5Jx17 *)	68	RA	275/35 ZR17	Bridgestone S01	N0	964 C2 "Turbo Look", '92-'93
							964 C4 "Turbo Look", '93 & '94
Wheel size 18-inch	8Jx18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	964 Turbo 3.6, '93 & '94 models
					Bridgestone Potenza S-02A	N3	
					Continental ContiSportContact2	N2	
					Michelin PilotSport PS2	N3	
	10Jx18	65/ 61	RA	265/35 ZR18	Pirelli P Zero Rosso	N4	
					Bridgestone Potenza S-02A	N3	
					Continental ContiSportContact2	N2	
					Michelin PilotSport PS2	N3	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

*) 17-mm spacers on rear axle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 968							
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	7.5Jx17	65	FA	225/45 ZR17	Bridgestone Potenza S-02	N3	968, '92-'95 models
17-inch					Michelin PilotSport PS2	N3	968 CS, '93-'95 models
	9Jx17	55	RA	255/40 ZR17	Bridgestone Potenza S-02	N3	
					Michelin PilotSport PS2	N3	
Type 968 Turbo S							
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	8Jx18	53	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	968 Turbo S, '93 model
18-inch	10Jx18	65	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 993							
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	7Jx16	55	FA	205/55 ZR16	Continental ContiSportContact	N1	993 Carrera, '94-'98 models
16-inch	9Jx16	70	RA	245/45 ZR16	Continental ContiSportContact	N1	
Wheel size	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	993 Carrera, '94-'98 models
17-inch					Bridgestone Potenza S-02A	N4	993 Carrera RS, '95 & '96
					Continental ContiSportContact2	N2	993 Carrera S, '97 & '98 models
					Michelin PilotSport PS2	N3	
	9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	
					Bridgestone Potenza S-02A	N4	
					Continental ContiSportContact2	N2	
					Michelin PilotSport PS2	N3	
Wheel size	8Jx18	50/	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	993, '94-'98 models
18-inch		52			Bridgestone Potenza S-02A	N3	993 Carrera RS, '95 & '96
					Continental ContiSportContact2	N2	not: Targa, Cabriolet before '96
	10Jx18	65	RA	265/35 ZR18	Pirelli P Zero Rosso	N4	
					Bridgestone Potenza S-02A	N3	
					Continental ContiSportContact2	N2	
Type 993	GT 2						
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	8Jx18	52	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	993 GT 2, '96-'97 models
18-inch	10Jx18	40	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	993 GT 2, '96-'97 models
	10Jx18	40	RA	295/35 ZR18	Pirelli P Zero Rosso	N4	993 GT 2, '96-'97 models
Type 993	Turbo						
	Category	RO	Axles	Tyre size	Tread designation	Spec.	Vehicles
Wheel size	8Jx18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	993 Turbo
18-inch					Bridgestone Potenza S-02A	N3	993 Carrera S
					Continental ContiSportContact2	N2	993 Carrera 4S
					Michelin PilotSport PS2	N3	993 Turbo Look
	10Jx18	40/	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	
		65*)			Bridgestone Potenza S-02A	N3	
					Continental ContiSportContact2	N2	
					Michelin PilotSport PS2	N3	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

*) with 25-mm spacer on each wheel on rear axle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.