

Cayenne - model year 2003 – 2006

As at:01/2017

Approved makes of all-season tyres

Type 9PA	Cayenne											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 17-inch ¹⁾	7.5J x 17	53	FA/RA	235/65 R 17 ¹⁾	108 H	Continental	4x4 Contact	N1	E	C))) 73 dB	Yes
Wheel size 18-inch ²⁾	8J x 18	57	FA/RA	255/55 R 18 ²⁾	109 V	Continental	4x4 Contact	N1	E	C) 74 dB	Yes
						Goodyear	Eagle LS2	N1	B	C) 69 dB	Yes
						Michelin	Latitude Tour HP	N1	B	C) 71 dB	Yes
						Pirelli	Scorpion Zero	N0	E	B) 72 dB	Yes
Wheel size 19-inch	9J x 19	60	FA/RA	275/45 R 19	108 V	Continental	4x4 Contact	N0	E	C) 74 dB	RA only
						Goodyear	Eagle LS2	N0	C	E) 70 dB	RA only
						Michelin	Latitude Tour HP	N0	C	C) 71 dB	RA only

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
H = 210 km/h (130 mph)
V = 240 km/h (150 mph)

1) Not for Cayenne S, Cayenne Turbo, Cayenne Turbo S.

2) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S.

Snow chains should not be fitted in conjunction with spacers.

Cayenne - model year 2008 – 2010

As at:01/2017

Approved makes of all-season tyres

Type 9PA	Cayenne											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 17-inch ¹⁾	7.5J x 17	53	FA/RA	235/65 R 17 ^{1) 3)}	108 V	Continental	4x4 Contact	N1	E	C))) 73 dB	Yes
Wheel size 18-inch ²⁾	8J x 18	57	FA/RA	255/55 R 18 ^{2) 3)}	109 V	Continental	4x4 Contact	N1	E	C) 74 dB	Yes
						Goodyear	Eagle LS2	N1	B	C) 69 dB	Yes
						Michelin	Latitude Tour HP	N1	B	C) 71 dB	Yes
Wheel size 19-inch	9J x 19	60	FA/RA	275/45 R 19	108 V	Continental	4x4 Contact	N0	E	C) 74 dB	RA only
						Goodyear	Eagle LS2	N0	C	E) 70 dB	RA only
						Michelin	Latitude Tour HP	N0	C	C) 71 dB	RA only

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V= 240 km/h (150 mph)

1) Only for Cayenne (V6).

2) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S or Cayenne Turbo as of model year 2009.

3) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), I-no.PB1.

Snow chains should not be fitted in conjunction with spacers.

Cayenne - model year 2011 – 2014

As at:05/2017

Approved makes of all-season tyres

Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Hybrid, Cayenne S Diesel, Cayenne GTS

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 18-inch ¹⁾	8J x 18	53	FA/RA	255/55 R 18 ¹⁾	109V XL	Goodyear	Eagle LS2	N1	B	C) 69 dB	Yes
						Michelin	Latitude Tour HP	N1	B	C) 71 dB	Yes
Wheel size 19-inch ²⁾	8.5J x 19	59	FA/RA	265/50 R 19	109V XL	Goodyear	Eagle LS2	N0	B	C) 70 dB	RA only
						Michelin	Latitude Tour HP	N0	B	C) 71 dB	RA only
						Pirelli	Scorpion Verde All Season	N0	C	C) 70 dB	RA only
Wheel size 20-inch	9J x 20	57	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	RA only
						Goodyear	Eagle LS2	N0	B	C) 69 dB	RA only
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	RA only
	9.5J x 20	47	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	No
						Goodyear	Eagle LS2	N0	B	C) 69 dB	No
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	No

Type 92A Cayenne Turbo, Cayenne Turbo S

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 19-inch ¹⁾	8.5J x 19	59	FA/RA	265/50 R 19	109V XL	Goodyear	Eagle LS2	N0	B	C) 70 dB	RA only
						Michelin	Latitude Tour HP	N0	B	C) 71 dB	RA only
						Pirelli	Scorpion Verde All Season	N0	C	C) 70 dB	RA only
Wheel size 20-inch	9J x 20	57	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	RA only
						Goodyear	Eagle LS2	N0	B	C) 69 dB	RA only
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	RA only
	9.5J x 20	47	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	No
						Goodyear	Eagle LS2	N0	B	C) 69 dB	No
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V= 240 km/h (150 mph)

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), I-no.PB1.
- 2) Not for Cayenne GTS vehicles with Porsche Ceramic Composite Brake (PCCB), I-no.PB1.

Cayenne from model year 2015

As at:05/2017

Approved makes of all-season tyres

Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Diesel, Cayenne S E-Hybrid												
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 18-inch ¹⁾	8J x 18	53	FA/RA	255/55 R 18	109V XL	Goodyear	Eagle LS2	N1	B	C) 69 dB	Yes
						Michelin	Latitude Tour HP GreenX	N1	B	C) 71 dB	Yes
						Continental	CrossContact LX Sport	N0	E	C))) 76 dB	Yes
Wheel size 19-inch ⁴⁾	8.5J x 19	59	FA/RA	265/50 R 19	110V XL	Goodyear	Eagle LS2	N1	B	B) 70 dB	RA only
						Michelin	Latitude Tour HP	N0	B	C) 71 dB	RA only
Wheel size 20-inch	9J x 20	57	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	RA only
						Goodyear	Eagle LS2	N1	B	B) 71 dB	RA only
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	RA only
	9.5J x 20 ²⁾	47	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	No
						Goodyear	Eagle LS2	N1	B	B) 71 dB	No
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	No
Type 92A Cayenne GTS, Cayenne Turbo												
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 19-inch ¹⁾	8.5J x 19	59	FA/RA	265/50 R 19	110V XL	Goodyear	Eagle LS2	N1	B	B) 70 dB	RA only
						Michelin	Latitude Tour HP	N0	B	C) 71 dB	RA only
Wheel size 20-inch	9J x 20 ³⁾	57	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	RA only
						Goodyear	Eagle LS2	N1	B	B) 71 dB	RA only
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	RA only
	9.5J x 20 ²⁾	47	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	No
						Goodyear	Eagle LS2	N1	B	B) 71 dB	No
Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	No						
Type 92A Cayenne Turbo S												
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 20-inch	9J x 20 ³⁾	57	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	RA only
						Goodyear	Eagle LS2	N1	B	B) 71 dB	RA only
						Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	RA only
	9.5J x 20 ²⁾	47	FA/RA	275/45 R 20	110V XL	Continental	CrossContact LX Sport	N0	C	C))) 76 dB	No
						Goodyear	Eagle LS2	N1	B	B) 71 dB	No
Pirelli	Scorpion Verde All Season	N0	B	C) 70 dB	No						

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Snow chains should not be fitted in conjunction with spacers

Speed index:
V= 240 km/h (150 mph)

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).
- 2) Only with wheel arch extensions or SportDesign package.
- 3) Permitted for vehicles with Porsche Ceramic Composite Brake (PCCB) depending on wheel type.
- 4) Not for vehicles with 20-inch Porsche Ceramic Composite Brake (PCCB).

Cayenne from model year 2018

As at:04/2018

Approved makes of all-season tyres

Type 9YA		Cayenne, Cayenne S										
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
19-inch ^{1) 3)}	8.5J x 19H2	47	FA	255/55 R19	111V XL	Michelin	PSAS3	N0	B	C) 69 dB	Yes
						Pirelli	Scorpion Verde A/S	N0	B	B) 69 dB	Yes
	9.5J x 19H2	54	RA	275/50 R 19	112V XL	Michelin	PSAS3	N0	B	C) 69 dB	Yes
						Pirelli	Scorpion Verde A/S	N0	B	B) 69 dB	Yes
20-inch ^{1) 2)}	9.0J x 20H2	50	FA	275/45 R20	110V XL	Michelin	PSAS3	N0	B	C) 69 dB	No
						Pirelli	Scorpion Verde A/S	N1	B	C) 69 dB	No
	10.5J x 20H2	64	RA	305/40 R 20	112V XL	Michelin	PSAS3	N0	B	C) 69 dB	Yes
						Pirelli	Scorpion Verde A/S	N1	B	C) 69 dB	Yes
21-inch ²⁾	9.5J x 21H2	46	FA	285/40 ZR 21	109V XL	Pirelli	Scorpion Verde A/S	N0	B	B) 70 dB	No
				11.0J x 21H2	58	RA	315/35 ZR 21	111V XL	Pirelli	Scorpion Verde A/S	N0	B

Type 9YA		Cayenne Turbo										
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
20-inch ^{1) 2)}	9.0J x 20H2	50	FA	275/45 R20	110V XL	Michelin	PSAS3	N0	B	C) 69 dB	No
						Pirelli	Scorpion Verde A/S	N1	B	C) 69 dB	No
	10.5J x 20H2	64	RA	305/40 R 20	112V XL	Michelin	PSAS3	N0	B	C) 69 dB	Yes
						Pirelli	Scorpion Verde A/S	N1	B	C) 69 dB	Yes
21-inch ²⁾	9.5J x 21H2	46	FA	285/40 ZR 21	109Y XL	Pirelli	Scorpion Verde A/S	N0	B	B) 70 dB	No
				11.0J x 21H2	58	RA	315/35 ZR 21	111Y XL	Pirelli	Scorpion Verde A/S	N0	B

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V= 240 km/h (150 mph)

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).
- 2) Only with wheel arch extensions or SportDesign package.
- 3) Not for vehicles with Porsche Surface Coated Brake (PSCB).

Snow chains should not be fitted in conjunction with spacers

Panamera - model year 2010 – 2013

As at:05/2017

Approved makes of all-season tyres

Type 970	Panamera, Panamera 4, Panamera S/4S, Panamera GTS, Panamera Turbo/Turbo S, Panamera Diesel, Panamera S Hybrid											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
19-inch ¹⁾	9J x 19	60	FA	255/45 R 19	100 V	Continental	Pro Contact	N0	F	B) 73 dB	No
						Continental	Pro Contact	N1	E	C) 73 dB	No
						Goodyear	Eagle LS2	N0	C	C) 70 dB	No
						Michelin	Pilot Sport A/S Plus	N1	B	B) 72 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	A) 72 dB	No
						Continental	Pro Contact	N0	F	B) 74 dB	Yes
	10J x 19	61	RA	285/40 R 19	103 V	Continental	Pro Contact	N1	E	C) 73 dB	Yes
						Goodyear	Eagle LS2	N0	C	C) 70 dB	Yes
						Michelin	Pilot Sport A/S Plus	N1	B	B) 72 dB	Yes
						Pirelli	Cinturato P7 All Season	N0	B	C) 72 dB	No
						Continental	Pro Contact	N0	F	B) 74 dB	Yes
						Continental	Pro Contact	N1	E	C) 73 dB	Yes
20-inch	9.5J x 20	65	FA	255/40 R 20	101V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 72 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 72 dB	No
						Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
	11J x 20	68	RA	295/35 R 20	105V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 74 dB	No
						Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
	11.5J x 20	63	RA	295/35 R 20	105V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 74 dB	No
						Continental	Pro Contact	N0	F	B) 74 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V= 240 km/h (150 mph)

1) For all vehicle types except Panamera GTS/Turbo/Turbo Executive with Porsche Ceramic Composite Brake (PCCB).

Panamera - model year 2014 – 2016

As at:05/2017

Approved makes of all-season tyres

Type 970 Panamera, Panamera 4, Panamera Diesel, Panamera S E-Hybrid, Panamera S, Panamera 4S, Panamera S Executive, Panamera 4S Executive, Panamera GTS, Panamera Turbo, Panamera Turbo Executive

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling	Wet grip	Noise	Snow chains
									resistance		emissions	
Wheel size 19-inch ¹⁾	9J x 19	60	FA	255/45 R 19	100 V	Continental	Pro Contact	N1	E	C) 73 dB	No
						Michelin	Pilot Sport A/S Plus	N1	B	B) 72 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	A) 72 dB	No
	10J x 19	61	RA	285/40 R 19	103 V	Continental	Pro Contact	N1	E	C) 73 dB	Yes
						Michelin	Pilot Sport A/S Plus	N1	B	B) 72 dB	Yes
						Pirelli	Cinturato P7 All Season	N0	B	C) 72 dB	No
Wheel size 20-inch	9.5J x 20	65	FA	255/40 R 20	101V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 72 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 72 dB	No
	11J x 20	68	RA	295/35 R 20	105V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 72 dB	No
	11.5J x 20	63	RA	295/35 R 20	105V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 72 dB	No

Type 970 Panamera Turbo S, Panamera Turbo S Executive

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling	Wet grip	Noise	Snow chains
									resistance		emissions	
Wheel size 20-inch	9.5J x 20	65	FA	255/40 R 20	101V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 72 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 72 dB	No
	11J x 20	68	RA	295/35 R 20	105V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 72 dB	No
	11.5J x 20	63	RA	295/35 R 20	105V XL	Michelin	Pilot Sport A/S Plus	N0	B	B) 68 dB	No
						Pirelli	Cinturato P7 All Season	N0	C	C) 72 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V= 240 km/h (150 mph)

1) For all vehicle types except Panamera GTS/Turbo/Turbo Executive with Porsche Ceramic Composite Brake (PCCB).

Panamera as of model year 2017

As at:07/2017

Approved makes of all-season tyres

Type 971	Panamera, Panamera 4, Panamera 4 Executive, Panamera 4S, Panamera 4S Executive, Panamera 4S Diesel, Panamera 4 E-Hybrid, Panamera 4 E-Hybrid Executive, Panamera Turbo, Panamera Turbo Executive											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 20-inch	9.5J x 20	71	FA	275/40 R 20	106V XL	Michelin	Pilot Sport A/S 3	N0	B	C) 70 dB	No
	11.5J x 20	68	RA	315/35 R 20	110V XL	Pirelli	Cinturato P7 All Season	N0	B	B) 72 dB	No
						Michelin	Pilot Sport A/S 3	N0	B	C) 70 dB	No
Pirelli	Cinturato P7 All Season	N0	C	B) 74 dB	No						
Wheel size 21-inch	9.5J x 21	71	FA	275/35 R 21	103V XL	Pirelli	Cinturato P7 All Season	N0	C	B) 72 dB	No
	11.5J x 21	69	RA	315/30 R 21	105V XL	Pirelli	Cinturato P7 All Season	N0	C	B) 74 dB	No

Type 971	Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 21-inch	9.5J x 21	71	FA	275/35 R 21	103V XL	Pirelli	Cinturato P7 All Season	N0	C	B) 72 dB	No
	11.5J x 21	69	RA	315/30 R 21	105V XL	Pirelli	Cinturato P7 All Season	N0	C	B) 74 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V= 240 km/h (150 mph)

Macan as of model year 2014

As at:05/2017

Approved makes of all-season tyres

Type 95B Macan, Macan S, Macan GTS, Macan Turbo, Macan S Diesel												
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow chains
Wheel size 18-inch ¹⁾	8J x 18	21	FA	235/60 R18	103 V	Michelin	Latitude Tour HP	N0	B	B) 71 dB	No
						Continental	ContiProContactTX	N0	C	C) 71 dB	No
						Pirelli	Scorpion Verde AS	N0	C	C) 71 dB	No
	9J x 18	21	RA	255/55 R18	105 V	Michelin	Latitude Tour HP	N0	B	B) 71 dB	Yes
						Continental	ContiProContactTX	N0	C	C) 72 dB	Yes
						Pirelli	Scorpion Verde AS	N0	B	C) 71 dB	Yes
Wheel size 19-inch	8J x 19	21	FA	235/55 R19	101 V	Michelin	Latitude Tour HP	N0	B	B) 71 dB	No
						Continental	ContiProContactTX	N0	C	C) 71 dB	No
						Pirelli	Scorpion Verde AS	N0	B	C) 71 dB	No
						Goodyear	Eagle LS 2	N0	B	C) 69 dB	No
	9J x 19	21	RA	255/50 R19	103 V	Michelin	Latitude Tour HP	N0	B	B) 71 dB	Yes
						Continental	ContiProContactTX	N0	C	C) 72 dB	Yes
						Pirelli	Scorpion Verde AS	N0	B	C) 71 dB	Yes
						Goodyear	Eagle LS 2	N0	B	C) 70 dB	Yes
Wheel size 20-inch ²⁾	9J x 20	26	FA	265/45 R20	104 V	Michelin	Latitude Tour HP	N0	B	B) 71 dB	No
						Pirelli	Scorpion Verde AS	N0	B	B) 73 dB	No
	10J x 20	19	RA	295/40 R20	106 V	Michelin	Latitude Tour HP	N0	B	B) 68 dB	No
						Pirelli	Scorpion Verde AS	N0	B	B) 72 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V= 240 km/h (150 mph)

1) Not for Macan GTS, Macan Turbo and not for vehicles with Porsche Ceramic Composite Brake (PCCB).

2) Only with wheel arch extensions on the rear axle.