

Boxster/Cayman - model year 2005 – 2008

As at: 01/2017

Approved makes of summer tyres

Type 987	Boxster, Cayman									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission
Wheel size 17-inch	6.5J x 17	55	FA	205/55 ZR 17	(91 Y)	Continental SportContact 3	N2	G	A))) 72 dB
						Goodyear Eagle F1 Asymmetric	N0	E	B) 68 dB
						Michelin Pilot Sport 2	N1	E	B)) 69 dB
	8J x 17	40	RA	235/50 ZR 17	(96 Y)	Continental SportContact 3	N2	G	A))) 72 dB
						Michelin Pilot Sport 2	N1	E	B) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	C) 68 dB
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A))) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Continental SportContact 3	N1	F	C) 72 dB
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	G	A))) 73 dB
						Continental SportContact 3	N1	G	A))) 73 dB
						Michelin Pilot Sport 2	N2	E	A) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB
						Continental SportContact 3	N1	F	B) 71 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Continental SportContact 3	N1	F	C) 72 dB
10J x 19	42	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB	
					Continental SportContact 3	N1	G	A))) 73 dB	
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
					Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
					Pirelli P-Zero	N2	E	A) 72 dB	
					Continental SportContact 3	N1	G	A))) 73 dB	

Type 987

Boxster S, Cayman S

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission
18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A))) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						(91 Y) XL				
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C))) 72 dB
						Continental SportContact 3	N1	G	A))) 73 dB
						Michelin Pilot Sport 2	N2	E	A) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB
						(91 Y) XL				
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						(91 Y) XL				
10J x 19	42	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C))) 72 dB	
					Continental SportContact 3	N1	G	A))) 73 dB	
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
					Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
					Pirelli P-Zero	N2	E	A) 72 dB	
					(91 Y) XL					

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Turbo wheel only for vehicles from MY 2007 onwards

Boxster/Cayman - model year 2009 – 2012

As at: 01/2017

Approved makes of summer tyres

Type 987		Boxster, Cayman								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 17-inch	7J x 17	55	FA	205/55 ZR 17	(95 Y) XL	Michelin Pilot Sport 2	N1	E	B) 69 dB
						Continental SportContact 3	N2	G	A) 72 dB
						Goodyear Eagle F1 Asymmetric	N0	E	B) 68 dB
	8.5J x 17	40	RA	235/50 ZR 17	(96 Y)	Michelin Pilot Sport 2	N1	E	B) 70 dB
						Continental SportContact 3	N2	G	A) 72 dB
						Goodyear Eagle F1 Asymmetric	N0	F	C) 68 dB
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C) 73.2 dB
						Continental SportContact 3	N1	G	A) 72 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
	(91 Y) XL	RA	265/35 ZR 19	(94 Y)	Michelin Pilot Sport 2	N2	E	B) 70 dB	
					Bridgestone Potenza RE050A	N1	F	C) 72 dB	
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
	(91 Y) XL	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB	
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
					Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
10J x 19	42	RA	265/35 ZR 19	(94 Y)	Pirelli P-Zero	N2	E	A) 72 dB	

Type 987		Boxster S, Cayman S, Cayman R								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C) 73.2 dB
						Continental SportContact 3	N1	G	A) 72 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
	(91 Y) XL	RA	265/35 ZR 19	(94 Y)	Michelin Pilot Sport 2	N2	E	B) 70 dB	
					Bridgestone Potenza RE050A	N1	F	C) 72 dB	
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
	(91 Y) XL	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB	
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
					Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
10J x 19	42	RA	265/35 ZR 19	(94 Y)	Pirelli P-Zero	N2	E	A) 72 dB	

Type 987

Boxster Spyder

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
	9.5J x 19	46	RA	265/35 ZR 19	(91 Y) XL	Michelin Pilot Sport 2	N2	E	B) 70 dB
					(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
	10J x 19	42	RA	265/35 ZR 19	(91 Y) XL	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
					(94 Y)	Pirelli P-Zero	N2	E	A) 71 dB
					Michelin Pilot Sport 2	N2	E	B) 70 dB	
						Bridgestone Potenza RE050A	N1	F	C) 72 dB
						Michelin Pilot Sport 2	N2	E	A) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

Boxster/Cayman - model year 2013 – 2016

As at: 12/2015

Approved makes of summer tyres

Type 981	Boxster, Boxster S, Boxster GTS/Cayman, Cayman S, Cayman GTS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ¹⁾	8J x 18	57	FA	235/45 ZR 18	94 Y	Dunlop SP Sport Maxx GT ⁴⁾	N0	E	C) 69 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	C) 68 dB
						Pirelli P-Zero	N1	C	A) 72 dB
	9J x 18	47	RA	265/45 ZR 18	101 Y	Dunlop SP Sport Maxx GT ⁴⁾	N0	E	C) 69 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	B) 69 dB
						Pirelli P-Zero	N1	C	A) 72 dB
Wheel size 19-inch ²⁾	8J x 19	57	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB
						Pirelli P-Zero	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	9.5J x 19	45	RA	265/40 ZR 19	(98 Y)	Yokohama Advan Sport V105	N0	E	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	B) 70 dB
						Pirelli P-Zero	N0	E	A) 72 dB
Wheel size 20-inch	8J x 20	57	FA	235/35 ZR 20	(88 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
						Pirelli P-Zero	N0	E	A) 71 dB
						Pirelli P-Zero	N1	C	A) 71 dB
	9.5J x 20	45	RA	265/35 ZR 20	(95 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	C	A) 72 dB
8.5J x 20 ³⁾	57	FA	235/35 ZR 20	(88 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB	
					Pirelli P-Zero	N0	E	A) 71 dB	
					Pirelli P-Zero	N1	C	A) 71 dB	
10J x 20 ³⁾	50	RA	265/35 ZR 20	(95 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB	
					Pirelli P-Zero	N0	E	A) 72 dB	
					Pirelli P-Zero	N1	C	A) 72 dB	
Type 981	Boxster Spyder									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch	8.5J x 20	57	FA	235/35 ZR 20	(88 Y)	Pirelli P-Zero	N0	E	A) 71 dB
						Pirelli P-Zero	N1	C	A) 71 dB
	10.5J x 20	47	RA	265/35 ZR 20	(95 Y)	Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	C	A) 72 dB
Type 981	Cayman GT4									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch	8.5J x 20	61	FA	245/35 ZR 20	(91 Y)	Michelin Pilot Sport Cup 2 ⁴⁾	N0	F	C) 70 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
	11J x 20	50	RA	295/30 ZR 20	(101 Y) XL	Michelin Pilot Sport Cup 2 ⁴⁾	N0	C	C) 73 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	F	C) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for Boxster GTS, Cayman GTS; Boxster S, Cayman S: only for China (Dunlop tyres only)
- 2) Boxster GTS, Cayman GTS: only for China
- 3) Not for Japan
- 4) Ultra High Performance tyres

718 Boxster, 718 Cayman from model year 2017
 Approved makes of summer tyres

As at: 06/2018

Type 982	718 Boxster, 718 Boxster S, 718 Cayman, 718 Cayman S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ¹⁾	8J x 18	57	FA	235/45 ZR 18	(94 Y)	Pirelli P-Zero	N1	C	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	C) 68 dB
	9.5J x 18	49	RA	265/45 ZR 18	(101 Y)	Pirelli P-Zero	N1	C	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	B) 69 dB
Wheel size 19-inch	8J x 19	57	FA	235/40 ZR 19	(92 Y)	Pirelli P-Zero	N1	E	A) 71 dB
						Yokohama Advan Sport V105	N0	E	A) 71 dB
	10J x 19	45	RA	265/40 ZR 19	(98 Y)	Pirelli P-Zero	N1	C	A) 71 dB
						Yokohama Advan Sport V105	N0	E	A) 72 dB
Wheel size 20-inch	8J x 20	57	FA	235/35 ZR 20	(88 Y)	Pirelli P-Zero	N1	C	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
				235/35 ZR 20	(92 Y)	Bridgestone Potenza S001	N1	E	B) 71 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB
	10J x 20	45	RA	265/35 ZR 20	(95 Y)	Pirelli P-Zero	N1	C	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
				265/35 ZR 20	(99 Y)	Bridgestone Potenza S001	N1	E	A) 72 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB
	8.5J x 20	57	FA	235/35 ZR 20	(88 Y)	Pirelli P-Zero	N1	C	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
				235/35 ZR 20	(92 Y)	Bridgestone Potenza S001	N1	E	B) 71 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB
	10.5J x 20	47	RA	265/35 ZR 20	(95 Y)	Pirelli P-Zero	N1	C	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
				265/35 ZR 20	(99 Y)	Bridgestone Potenza S001	N1	E	A) 72 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB

Type 982	Boxster GTS/Cayman GTS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch	8J x 20	57	FA	235/35 ZR 20	(88 Y)	Pirelli P-Zero	N1	C	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
				235/35 ZR 20	(92 Y)	Bridgestone Potenza S001	N1	E	B) 71 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB
	10J x 20	45	RA	265/35 ZR 20	(95 Y)	Pirelli P-Zero	N1	C	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
				265/35 ZR 20	(99 Y)	Bridgestone Potenza S001	N1	E	A) 72 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB
	8.5J x 20	57	FA	235/35 ZR 20	(88 Y)	Pirelli P-Zero	N1	C	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
				235/35 ZR 20	(92 Y)	Bridgestone Potenza S001	N1	E	B) 71 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB
	10.5J x 20	47	RA	265/35 ZR 20	(95 Y)	Pirelli P-Zero	N1	C	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
				265/35 ZR 20	(99 Y)	Bridgestone Potenza S001	N1	E	A) 72 dB
						Michelin XL Pilot Sport 4 S	N0	E	B) 71 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) 718 Boxster S, 718 Cayman S: only for China

911 Carrera, Targa, GT3 - model year 2005 – 2008
Approved makes of summer tyres

As at: 01/2017

Type 997		911 Carrera								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N4	E	B)) 69 dB
	10J x 18	58	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C)) 74 dB
						Continental SportContact 3	N1	F	A))) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Pirelli P-Zero Rosso	N1	E	A)) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
	11J x 19	67	RA	295/30 ZR 19	(100 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 73 dB
						Continental SportContact 3	N1	G	A))) 76 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
						Pirelli P-Zero Rosso	N1	E	A) 73 dB
						Pirelli P-Zero	N2	E	A) 74 dB
						Pirelli P-Zero	N2	E	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
11.5J x 19	67	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	
					Pirelli P-Zero Rosso	N1	F	A) 73 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	
Type 997		911 Carrera S								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Pirelli P-Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
	11J x 19	67	RA	295/30 ZR 19	(100 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 73 dB
						Continental SportContact 3	N1	G	A))) 76 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
						Pirelli P-Zero Rosso	N1	E	A) 73 dB
						Pirelli P-Zero	N2	E	A) 74 dB
						Pirelli P-Zero	N2	E	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
11.5J x 19	67	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	
					Pirelli P-Zero Rosso	N1	F	A) 73 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	

Type 997		911 Carrera 4, 911 Targa 4									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB	
						Yokohama Advan Sport V103S	N1	F	A)) 71 dB	
						Michelin Pilot Sport 2	N4	E	B) 69 dB	
	11J x 18	51	RA	295/35 ZR 18	(99 Y)	Bridgestone Potenza RE050A	N1	E	C) 74 dB	
						Yokohama Advan Sport V103S	N1	E	A) 74 dB	
						Michelin Pilot Sport 2	N4	E	A) 74 dB	
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Pirelli P-Zero Rosso	N1	E	A) 71 dB	
						Pirelli P-Zero	N2	F	A) 71 dB	
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Michelin Pilot Sport 2	N2	E	B) 70 dB	
						Bridgestone Potenza RE050A	N1	E	C) 75 dB	
						Michelin Pilot Sport 2	N2	E	B) 74 dB	
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Pirelli P-Zero Rosso	N1	F	A) 73 dB	
						Pirelli P-Zero	N2	F	A) 74 dB	
						Bridgestone Potenza RE050A	N1	F	B) 71 dB	
	11.5J x 19	67 ¹⁾	RA	305/30 ZR 19	(102 Y) XL	Pirelli P-Zero Rosso	N1	E	A) 71 dB	
						Pirelli P-Zero	N2	F	A) 71 dB	
						Michelin Pilot Sport 2	N2	E	B) 70 dB	
							Bridgestone Potenza RE050A	N1	E	C) 75 dB
							Michelin Pilot Sport 2	N2	E	B) 74 dB
							Pirelli P-Zero Rosso	N1	F	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB	

Type 997		911 Carrera 4S, 911 Targa 4S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Pirelli P-Zero Rosso	N1	E	A) 71 dB	
						Pirelli P-Zero	N2	F	A) 71 dB	
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Michelin Pilot Sport 2	N2	E	B) 70 dB	
						Bridgestone Potenza RE050A	N1	E	C) 75 dB	
						Michelin Pilot Sport 2	N2	E	B) 74 dB	
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Pirelli P-Zero Rosso	N1	F	A) 73 dB	
						Pirelli P-Zero	N2	F	A) 74 dB	
						Bridgestone Potenza RE050A	N1	F	B) 71 dB	
	11.5J x 19	67 ¹⁾	RA	305/30 ZR 19	(102 Y) XL	Pirelli P-Zero Rosso	N1	E	A) 71 dB	
						Pirelli P-Zero	N2	F	A) 71 dB	
						Michelin Pilot Sport 2	N2	E	B) 70 dB	
							Bridgestone Potenza RE050A	N1	E	C) 75 dB
							Michelin Pilot Sport 2	N2	E	B) 74 dB
							Pirelli P-Zero Rosso	N1	F	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB	

Type 997		911 GT3, 911 GT3 RS								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch	8.5J x 19	53	FA	235/35 ZR 19	(91 Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 71 dB
						Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB
						Pirelli P Zero Corsa ²⁾	N1	F	A) 72 dB
	12J x 19	68 ³⁾	RA	305/30 ZR 19	(102 Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 73 dB
						Pirelli P Zero Corsa ²⁾	N0	F	A) 74 dB
						Pirelli P Zero Corsa ²⁾	N1	F	A) 74 dB
	12J x 19	53 ⁴⁾	RA	305/30 ZR 19	(102 Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 73 dB
						Pirelli P Zero Corsa ²⁾	N0	F	A) 74 dB
						Pirelli P Zero Corsa ²⁾	N1	F	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Only with 17-mm wheel spacers on the rear axle.
- 2) Ultra High Performance tyres
- 3) Only 911 GT3. Always with 5-mm wheel spacers.
- 4) Only 911 GT3 RS. Always with 5-mm wheel spacers.

911 Carrera, Targa, GT3 - model year 2009 – 2012

As at: 01/2017

Approved makes of summer tyres

Type 997		911 Carrera								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Continental SportContact 3	N1	G	A))) 72 dB
	10.5J x 18	60	RA	265/40 ZR 18	(101 Y) XL	Michelin Pilot Sport 2	N4	E	B)) 69 dB
						Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A))) 74 dB
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	67	RA	295/30 ZR 19	(100 Y) XL	Michelin Pilot Sport 2	N2	E	B) 70 dB
						Bridgestone Potenza RE050A	N1	E	C) 73 dB
						Continental SportContact 3	N1	F	A))) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Pirelli P-Zero	N2	E	A) 73 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	F	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
11.5J x 19	67	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Continental SportContact 3	N1	F	A))) 74 dB	
					Michelin Pilot Sport 2	N2	E	B) 75 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	
Type 997		911 Carrera S								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	67	RA	295/30 ZR 19	(100 Y) XL	Michelin Pilot Sport 2	N2	E	B) 70 dB
						Bridgestone Potenza RE050A	N1	E	C) 73 dB
						Continental SportContact 3	N1	F	A))) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Pirelli P-Zero	N2	E	A) 73 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	F	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	67	RA	305/30 ZR 19	(102 Y) XL	Michelin Pilot Sport 2	N2	E	B) 70 dB
Bridgestone Potenza RE050A						N1	E	C) 75 dB	
Continental SportContact 3						N1	F	A))) 74 dB	
Type 997		911 Carrera 4, 911 Targa 4								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Yokohama Advan Sport V103S	N1	F	A) 71 dB
	11J x 18	51	RA	295/35 ZR 18	(99 Y)	Michelin Pilot Sport 2	N4	E	B) 69 dB
						Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A))) 74 dB
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Michelin Pilot Sport 2	N2	E	B) 70 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Continental SportContact 3	N1	F	A))) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Pirelli P-Zero	N2	E	B) 75 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	F	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
11.5J x 19	60	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Continental SportContact 3	N1	F	A))) 74 dB	
					Michelin Pilot Sport 2	N2	E	B) 75 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	

Type 997		911 Carrera 4S, 911 Targa 4S								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						(91 Y) XL	Michelin Pilot Sport 2	N2	E	B
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						(91 Y) XL	Michelin Pilot Sport 2	N2	E	B
	11.5J x 19	60	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Carrera GTS, 911 Carrera 4 GTS								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
19-inch	8.5J x 19	56	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						(91 Y) XL	Michelin Pilot Sport 2	N2	E	B
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						(91 Y) XL	Michelin Pilot Sport 2	N2	E	B
	11.5J x 19	50	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Sport Classic								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						(91 Y) XL	Michelin Pilot Sport 2	N2	E	B
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						(91 Y) XL	Michelin Pilot Sport 2	N2	E	B
	11.5J x 19	60	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Speedster								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
19-inch	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						(91 Y) XL	Michelin Pilot Sport 2	N2	E	B
	11.5J x 19	60	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 GT3									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	
Wheel size 19-inch	8.5J x 19	53	FA	235/35 ZR 19	(91 Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 71 dB	
					(91 Y)	Pirelli P Zero Corsa ¹⁾	N0	F	A) 72 dB	
	12J x 19	63	RA	305/30 ZR 19	(102 Y) XL	Pirelli P Zero Corsa ¹⁾	N1	F	A) 72 dB	
						Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 73 dB	
						Pirelli P Zero Corsa ¹⁾	N0	F	A) 74 dB	
						Pirelli P Zero Corsa ¹⁾	N1	F	A) 74 dB	

Type 997		911 GT3 RS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	
Wheel size	9J x 19	47	FA	245/35 ZR 19	(93 Y) XL	Michelin Pilot Sport Cup 2 ¹⁾	N0	E	C) 70 dB	
19-inch	12J x 19	48	RA	325/30 ZR 19	(105 Y) XL	Michelin Pilot Sport Cup 2 ¹⁾	N0	E	C) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Ultra High Performance tyres
- 2) Only for Japan
- 3) Not for Japan

911 Turbo, GT2 - model year 2007 – 2009
Approved makes of summer tyres

As at: 01/2017

Type 997		911 Turbo								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	E	B) 70 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Pirelli P Zero Rosso	N1	E	A) 73 dB
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Michelin Pilot Sport 2	N2	E	B) 74 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Pirelli P Zero Rosso	N1	E	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
	11.5J x 19	67 ¹⁾	RA	305/30 ZR 19	(102 Y) XL	Pirelli P Zero Rosso	N1	E	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB
Michelin Pilot Sport 2						N2	E	B) 74 dB	
Bridgestone Potenza RE050A						N1	E	C) 75 dB	

Type 997		911 GT2								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch	8.5J x 19	53	FA	235/35 ZR 19	(91 Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 71 dB
						Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB
	12J x 19	51	RA	325/30 ZR 19	(105 Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 73 dB
						Pirelli P Zero Corsa ²⁾	N0	F	A) 74 dB
					(101 Y)	Pirelli P Zero Corsa ²⁾	N0	F	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Only with 17-mm wheel spacers on the rear axle.
2) Ultra High Performance tyres

911 Turbo, GT2 RS - model year 2010 – 2013

As at: 01/2017

Approved makes of summer tyres

Type 997	911 Turbo, 911 Turbo S										
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	
19-inch	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Pirelli P-Zero	N2	F	A) 71 dB	
		8.5J x 19	56	FA	235/35 ZR 19	(87 Y)	Michelin Pilot Sport 2	N2	E	B) 70 dB
							Bridgestone Potenza RE050A	N1	F	B) 71 dB
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Pirelli P-Zero	N2	F	A) 71 dB	
						Michelin Pilot Sport 2	N2	E	B) 70 dB	
		11.5J x 19	50	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
							Pirelli P-Zero	N2	F	A) 74 dB
							Michelin Pilot Sport 2	N2	E	B) 74 dB
							Bridgestone Potenza RE050A	N1	E	C) 75 dB
							Pirelli P-Zero	N2	F	A) 74 dB
							Michelin Pilot Sport 2	N2	E	B) 74 dB
Type 997	911 GT2 RS										
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	
19-inch	9J x 19	47	FA	245/35 ZR 19	(93 Y) XL	Michelin Pilot Sport Cup 2 ¹⁾	N0	E	C) 70 dB	
	12J x 19	48	RA	325/30 ZR 19	(105 Y) XL	Michelin Pilot Sport Cup 2 ¹⁾	N0	E	C) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle (Exception: 911 GT2 RS, see above).

Speed index:
Y = 300 km/h

1) Ultra High Performance tyres

911 - model year 2012 – 2016
 Approved makes of summer tyres

As at: 07/2018

Type 991	911 Carrera, 911 Carrera S										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	
Wheel size 19-inch ¹⁾	8.5J x 19	54	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB	
	11J x 19	69	RA	285/35 ZR 19	(103 Y) XL	Goodyear Eagle F1 Asymmetric 2	N0	E	C) 70 dB	
Wheel size 20-inch	8.5J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB	
						Pirelli P Zero Corsa ⁴⁾	N0	F	A) 71 dB	
						(95 Y) XL Michelin Pilot Sport 4S	N0	E	B) 71 dB	
	11J x 20	70	RA	295/30 ZR 20	(101 Y) XL	Pirelli P-Zero	N0	E	A) 74 dB	
	9J x 20 ³⁾	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	F	A) 71 dB	
	11.5J x 20 ³⁾	68	RA	305/30 ZR 20	(103 Y) XL	Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB	
						Pirelli P-Zero	N1	E	A) 74 dB	
						Pirelli P Zero Corsa ⁴⁾	N0	F	A) 72 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB	
							Michelin Pilot Sport 4S	N0	E	B) 73 dB
Type 991	911 Carrera 4, 911 Carrera 4S, 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4, 911 Targa 4S, 911 Targa 4 GTS, Jubilee model "50 years 911"										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	
Wheel size 19-inch ²⁾	8.5J x 19	54	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB	
	11J x 19	48	RA	295/35 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 71 dB	
Wheel size	8.5J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	F	A) 71 dB	
						Pirelli P Zero Corsa ⁴⁾	N0	F	A) 71 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB	
						(95 Y) XL Michelin Pilot Sport 4S	N0	E	B) 71 dB	
	11J x 20	52	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB	
	9J x 20 ³⁾	51	FA	245/35 ZR 20	(91 Y)	Pirelli P Zero Corsa ⁴⁾	N0	F	A) 72 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB	
						Pirelli P-Zero	N1	F	A) 71 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB	
	11.5J x 20 ³⁾	48	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB	
							Pirelli P Zero Corsa ⁴⁾	N0	F	A) 72 dB
							Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
						Michelin Pilot Sport 4S	N0	E	B) 73 dB	
Type 991	911 Turbo, 911 Turbo S										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	
Wheel size	8.5J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	F	A) 71 dB	
						Pirelli P Zero Corsa ⁴⁾	N0	F	A) 71 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB	
						(95 Y) XL Michelin Pilot Sport 4S	N0	E	B) 71 dB	
	11J x 20	56	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB	
	11J x 20	59				Pirelli P Zero Corsa ⁴⁾	N0	F	A) 72 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB	
	9J x 20 ³⁾	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	F	A) 71 dB	
	11.5J x 20 ³⁾	56	RA	305/30 ZR 20	(103 Y) XL	Pirelli P Zero Corsa ⁴⁾	N0	F	A) 71 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB	
						Pirelli P-Zero	N1	E	A) 74 dB	
						Pirelli P Zero Corsa ⁴⁾	N0	F	A) 72 dB	
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB	
						Michelin Pilot Sport 4S	N0	E	B) 73 dB	

Type 991		911 GT3, 911 R								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch	9J x 20	55	FA	245/35 ZR 20	(91 Y)	Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N0	F	C) 70 dB
	12J x 20	47	RA	305/30 ZR 20	(103 Y) XL	Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N0	E	C) 73 dB

Type 991		911 GT3 RS								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20 & 21-inch	9.5J x 20	50	FA	265/35 ZR 20	(99 Y) XL	Dunlop XL Sport Maxx Race ⁴⁾	N0	E	B) 71 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N1	E	C) 71 dB
	12.5J x 21	48	RA	325/30 ZR 21	(108 Y) XL	Dunlop XL Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N1	E	C) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) 911 Carrera S: only for China
- 2) - 911 Carrera 4S, 911 Targa 4S: only for China
- Not for 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4 GTS, 50 years 911
- 3) Not for Japan
- 4) Ultra High Performance tyres

911 as of model year 2017

As at: 07/2018

Approved makes of summer tyres

Type 991		911 Carrera									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
19-inch ¹⁾	8.5J x 19	50	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB	
	11.5J x 19	76	RA	295/35 ZR 19	(100 Y)	Yokohama Advan Sport V105	N0	E	A) 71 dB	
						Goodyear Eagle F1 Asymmetric 2	N0	E	B) 71 dB	
						Yokohama Advan Sport V105	N0	E	A) 74 dB	
20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 71 dB	
	11.5J x 20	76	RA	305/30 ZR 20	(95 Y) XL (103 Y) XL	Michelin Pilot Sport 4S	N0	E	B) 71 dB	
						Pirelli P-Zero	N1	E	A) 74 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB	
						Michelin Pilot Sport 4S	N0	E	B) 73 dB	
Type 991		911 Carrera S									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 71 dB	
	11.5J x 20	76	RA	305/30 ZR 20	(95 Y) XL (103 Y) XL	Michelin Pilot Sport 4S	N0	E	B) 71 dB	
						Pirelli P-Zero	N1	E	A) 74 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB	
						Michelin Pilot Sport 4S	N0	E	B) 73 dB	
Type 991		911 Carrera 4, 911 Targa 4									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
19-inch ¹⁾	8.5J x 19	50	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB	
	11.5J x 19	56	RA	295/35 ZR 19	(100 Y)	Yokohama Advan Sport V105	N0	E	A) 71 dB	
						Goodyear Eagle F1 Asymmetric 2	N0	E	B) 71 dB	
						Yokohama Advan Sport V105	N0	E	A) 74 dB	
20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 71 dB	
	11.5J x 20	56	RA	305/30 ZR 20	(95 Y) XL (103 Y) XL	Michelin Pilot Sport 4S	N0	E	B) 71 dB	
						Pirelli P-Zero	N1	E	A) 74 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB	
						Michelin Pilot Sport 4S	N0	E	B) 73 dB	
Type 991		911 Carrera 4S, 911 Targa 4S, 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4 GTS									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 71 dB	
	11.5J x 20	56	RA	305/30 ZR 20	(95 Y) XL (103 Y) XL	Michelin Pilot Sport 4S	N0	E	B) 71 dB	
						Pirelli P-Zero	N1	E	A) 74 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB	
						Michelin Pilot Sport 4S	N0	E	B) 73 dB	
Type 991		911 Turbo, 911 Turbo S									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
20-inch	9J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 71 dB	
	11.5J x 20	56	RA	305/30 ZR 20	(95 Y) XL (103 Y) XL	Michelin Pilot Sport 4S	N0	E	B) 71 dB	
						Pirelli P-Zero	N1	E	A) 74 dB	
						Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB	
						Michelin Pilot Sport 4S	N0	E	B) 73 dB	
Type 991		911 GT3, GT3 R									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
20-inch	9J x 20	55	FA	245/35 ZR 20	(91 Y) XL	Dunlop Sport Maxx Race 2 ²⁾	N1	E	C) 69 dB	
						Michelin Pilot Sport Cup 2 ²⁾	N1	E	E) 70 dB	
	12J x 20	47	RA	305/30 ZR 20	(103 Y) XL	Dunlop Sport Maxx Race 2 ²⁾	N1	E	E) 71 dB	
						Michelin Pilot Sport Cup 2 ²⁾	N1	E	E) 73 dB	
Type 991		911 GT3 RS									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
20-inch	9.5J x 20	50	FA	265/35 ZR 20	(99 Y) XL	Dunlop Sport Maxx Race 2 ²⁾	N1	E	C) 69 dB	
						Michelin Pilot Sport Cup 2 ²⁾	N2	E	C) 71 dB	
	12.5J x 21	48	RA	325/30 ZR 21	(108 Y) XL	Michelin Pilot Sport Cup 2 R	N0	E	E) 71 dB	
						Dunlop Sport Maxx Race 2 ²⁾	N1	E	E) 72 dB	
						Michelin Pilot Sport Cup 2 ²⁾	N2	E	C) 73 dB	
						Michelin Pilot Sport Cup 2 R	N0	E	E) 73 dB	
Type 991		911 GT2 RS									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	resistanc e	Wet grip	Noise emission	
20-inch	9.5J x 20	50	FA	265/35 ZR 20	(99 Y) XL	Dunlop Sport Maxx Race 2 ²⁾	N1	E	C) 69 dB	
						Michelin Pilot Sport Cup 2 ²⁾	N2	E	C) 71 dB	
	12.5J x 21	48	RA	325/30 ZR 21	(108 Y) XL	Michelin Pilot Sport Cup 2 R	N0	E	E) 71 dB	
						Dunlop Sport Maxx Race 2 ²⁾	N1	E	E) 72 dB	
						Michelin Pilot Sport Cup 2 ²⁾	N2	E	C) 73 dB	
						Michelin Pilot Sport Cup 2 R	N0	E	E) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB)
2) Ultra High Performance tyres

Carrera GT model year 2004 – 2006

As at: 01/2017

Approved makes of summer tyres

Type 980	Carrera GT									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size	9.5J x 19	6	FA	265/35 ZR 19	(98 Y) XL	Michelin Pilot Super Sport	N0	E	A) 71 dB
19 & 20-inch	12.5J x 20	30	RA	335/30 ZR 20	(108 Y) XL	Michelin Pilot Super Sport	N0	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

918 Spyder model year 2015

As at: 12/2015

Approved makes of summer tyres

Type 918	918 Spyder									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size	9.5J x 20	57	FA	265/35 ZR 20	(95 Y)	Michelin Pilot Sport Cup 2 ¹⁾	N0	E	C) 71 dB
20 & 21-inch	12.5J x 21	57	RA	325/30 ZR 21	(104 Y)	Michelin Pilot Sport Cup 2 ¹⁾	N0	C	C) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Ultra High Performance tyres

Type 9PA		Cayenne Turbo, Cayenne Turbo S														
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission						
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18 ⁴⁾	109 Y	Bridgestone Turanza ER30	N0	E	B) 73 dB						
						Pirelli P Zero Rosso	N0	E	B) 73 dB						
						Bridgestone Dueler H/P Sport	N1	E	C) 72 dB						
						Continental Cross C. UHP	N1	G	B) 74 dB						
						Continental Sport Contact 3	N0	E	B) 74 dB						
						109 Y XL	Michelin Latitude Sport	N1	C	B) 72 dB					
						Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB
Bridgestone Dueler H/P Sport	N0	F	F) 80 dB												
Pirelli P Zero Rosso	N1	C	B) 72 dB												
Yokohama Advan Sport	N0	F	A) 73 dB												
108 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB											
Michelin 4x4 Diamaris	N0	E	B) 72 dB												
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20	106 Y							Continental 4x4 Sport Contact	N0	G	B) 72 dB
						Bridgestone Dueler H/P Sport	N0	E	C) 73 dB						
						Pirelli P Zero Rosso	N1	F	F) 80 dB						
						Yokohama Advan Sport	N0	F	A) 73 dB						
						106 Y XL	Michelin 4x4 Diamaris	N1	C	B) 71 dB					
						Wheel size 20-inch	10J x 20H2	55 ³⁾	RA	275/40 R 20	106 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB
												Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
Pirelli P Zero Rosso	N1	F	F) 80 dB												
Yokohama Advan Sport	N0	F	A) 73 dB												
106 Y XL	Michelin 4x4 Diamaris	N1	C	B) 71 dB											

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h
Y = 300 km/h

- 1) Not for Taiwan, Japan or Korea.
- 2) 17-mm wheel spacer per wheel permitted on the RA (18-inch on Cayenne S wheel only). Must be removed for fitting the spare wheel or snow chains.
- 3) Only permitted on the RA. Not for Israel, Saudi Arabia or the Virgin Islands.
- 4) Not for Cayenne Turbo with engine power kit "E81". Cayenne Turbo S

Cayenne - model year 2008 – 2010
 Approved makes of summer tyres

As at: 01/2017

Type 9PA	Cayenne, Cayenne Diesel									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission
Wheel size 17-inch	7.5J x 17H2	53	FA/RA	235/65 R 17	108 V	Bridgestone Dueler H/P Sport	N1	E	B) 72 dB
						Continental Cross C UHP	N0	G	B) 73 dB
						Michelin 4x4 Diamaris	N0	C	B) 71 dB
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18	109 Y	Bridgestone Dueler H/P Sport	N1	E	C) 72 dB
						Continental Cross C UHP	N1	G	B) 74 dB
						Continental Sport Contact 3	N0	E	B) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P-Zero Rosso	N1	C	B) 72 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						Michelin Latitude Sport	N0	E	B) 72 dB
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
Wheel size 20-inch	9J x 20H2	55	RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
Wheel size 21-inch ⁵⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
Wheel size 21-inch ⁵⁾	10J x 21H2	45 ³⁾	RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB

Type 9PA		Cayenne S, Cayenne GTS								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18	109 Y	Bridgestone Dueler H/P Sport	N1	E	C) 72 dB
						Continental Cross C UHP	N1	G	B) 74 dB
						Continental Sport Contact 3	N0	E	B) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
				109 Y XL						
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P-Zero Rosso	N1	C	B) 72 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						Michelin Latitude Sport	N0	E	B) 72 dB
				108 Y XL						
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
				106 Y XL						
Wheel size 20-inch	9J x 20H2	55	RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
				106 Y XL						
Wheel size 21-inch ⁵⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
				107 Y XL						
Wheel size 21-inch ⁵⁾	10J x 21H2	45 ³⁾	RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
				107 Y XL						

Type 9PA		Cayenne Turbo								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ⁴⁾	8J x 18H2	57	FA/RA	255/55 R 18 ⁴⁾	109 Y	Bridgestone Dueler H/P Sport	N1	E	C) 72 dB
						Continental Cross C UHP	N1	G	B) 74 dB
						Continental Sport Contact 3	N0	E	B) 74 dB
						109 Y XL	Michelin Latitude Sport	N1	C	B
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ^{2) 4)}	108 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P-Zero Rosso	N1	C	B) 72 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						108 Y XL	Michelin Latitude Sport	N0	E	B
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20 ^{2) 4)}	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						106 Y XL	Michelin 4x4 Diamaris	N1	C	B
Wheel size 20-inch	9J x 20H2	55	RA	275/40 R 20 ^{2) 4)}	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
						106 Y XL	Michelin 4x4 Diamaris	N1	C	B
Wheel size 21-inch ⁵⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB
						107 Y XL	Michelin Latitude Sport	N1	C	B
Wheel size 21-inch ⁵⁾	10J x 21H2	45 ³⁾	RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB
						107 Y XL	Michelin Latitude Sport	N1	C	B

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h
Y = 300 km/h

- 1) Not for Taiwan, Japan or Korea.
- 2) 17-mm wheel spacer per wheel permitted on the RA. Must be removed for fitting the spare wheel or snow chains.
- 3) Only permitted on the RA. Not for Israel, Saudi Arabia or the Virgin Islands.
- 4) Not for Cayenne Turbo with engine power kit "E81".
- 5) 21-inch wheels only in combination with wheel arch extensions.

The tyre makes and types shown in **bold** in the table are the most recently approved tyres. We recommend that you only use these tyres when fitting new tyres on vehicles.

Cayenne - model year 2011 – 2014
Approved makes of summer tyres

As at: 12/2016

Type 92A	Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Hybrid, Cayenne S Diesel, Cayenne GTS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ¹⁾	8J x 18H2 ¹⁾	53	FA/RA	255/55 R 18 ¹⁾	109 Y XL	Continental Sport Contact 3	N0	E	B))) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
Wheel size 19-inch ²⁾	8.5J x 19H2 ²⁾	59	FA/RA	265/50 R 19	110 Y XL	Goodyear Eagle F1 Asymmetric	N0	B	B) 69 dB
						Pirelli P-Zero	N0	C	A) 73 dB
Wheel size 20-inch	9J x 20H2	57	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport	N1	E	A) 73 dB
	9.5J x 20H2	47	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport	N1	E	A) 73 dB
Wheel size 21-inch	10J x 21H2	50	FA/RA	295/35 R 21	107 Y XL	Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N1	E	A) 74 dB

Type 92A	Cayenne Turbo, Cayenne Turbo S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch ¹⁾	8.5J x 19H2 ¹⁾	59	FA/RA	265/50 R 19 ¹⁾	110 Y XL	Goodyear Eagle F1 Asymmetric	N0	B	B) 69 dB
						Pirelli P-Zero	N0	C	A) 73 dB
Wheel size 20-inch	9J x 20H2	57	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport	N1	E	A) 73 dB
	9.5J x 20H2	47	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport	N1	E	A) 73 dB
Wheel size 21-inch	10J x 21H2	50	FA/RA	295/35 R 21	107 Y XL	Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N1	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), I-no. PB1.
2) Not for Cayenne GTS vehicles with Porsche Ceramic Composite Brake (PCCB), I-no. PB1.

Cayenne - model year 2015 – 2017

As at: 12/2016

Approved makes of summer tyres

Type 92A	Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Diesel, Cayenne S E-Hybrid									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ¹⁾	8J x 18H2	53	FA/RA	255/55 R 18	109 Y XL	Continental Sport Contact 3	N0	E	B))) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
						Nexen N'FERA RU1	N0	C	A) 70 dB
Wheel size 19-inch ⁴⁾	8.5J x 19H2	59	FA/RA	265/50 R 19	110 Y XL	Goodyear Eagle F1 Asymmetric 2 SUV	N1	C	A) 71 dB
						Pirelli P-Zero	N0	C	A) 73 dB
						Michelin Latitude Sport 3	N0	B	A) 71 dB
Wheel size 20-inch	9J x 20H2	57	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport V-103H	N0	E	B) 73 dB
	9.5J x 20H2 ²⁾	47	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport V-103H	N0	E	B) 73 dB
Wheel size 21-inch ²⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y XL	Michelin Latitude Sport 3	N1	C	A) 72 dB
						Yokohama Advan Sport V-105T	N2	E	A) 74 dB
Type 92A	Cayenne GTS, Cayenne Turbo									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch ¹⁾	8.5J x 19H2	59	FA/RA	265/50 R 19 ¹⁾	110 Y XL	Goodyear Eagle F1 Asymmetric 2 SUV	N1	C	A) 71 dB
						Pirelli P-Zero	N0	C	A) 73 dB
						Michelin Latitude Sport 3	N0	B	A) 71 dB
Wheel size 20-inch	9J x 20H2 ³⁾	57	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport V-103H	N0	E	B) 73 dB
	9.5J x 20H2 ²⁾	47	FA/RA	275/45 R 20	110 Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport V-103H	N0	E	B) 73 dB
Wheel size 21-inch ²⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y XL	Michelin Latitude Sport 3	N1	C	A) 72 dB
						Yokohama Advan Sport V-105T	N2	E	A) 74 dB
Type 92A	Cayenne Turbo S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch	9J x 20H2 ³⁾	57	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport V-103H	N0	E	B) 73 dB
	9.5J x 20H2 ²⁾	47	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B) 72 dB
						Yokohama Advan Sport V-103H	N0	E	B) 73 dB
Wheel size 21-inch ²⁾	10J x 21H2	50	FA/RA	295/35 R 21	107Y XL	Michelin Latitude Sport 3	N1	C	A) 72 dB
						Yokohama Advan Sport V-105T	N2	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB)
- 2) Only with wheel arch extensions or SportDesign package
- 3) Permitted for vehicles with Porsche Ceramic Composite Brake (PCCB) depending on wheel type
- 4) Not for vehicles with 20-inch Porsche Ceramic Composite Brake (PCCB)

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.

Cayenne from model year 2018

As at: 05/2018

Approved makes of summer tyres

Type 9YA	Cayenne, Cayenne S,									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch ¹⁾³⁾	8.5 J x 19H2	47	FA	255/55 ZR 19	(111 Y) XL	Continental ContiSportContact 5	N0	A	B) 73 dB
						Michelin Latitude Sport 3	N0	B	A) 71 dB
						Bridgestone Dueler H/P Sport	N0	C	B) 72 dB
	9.5 J x 19H2	54	RA	275/50 ZR 19	(112 Y) XL	Continental ContiSportContact 5	N0	C	A) 73 dB
						Michelin Latitude Sport 3	N0	B	A) 72 dB
						Bridgestone Dueler H/P Sport	N0	C	B) 72 dB
Wheel size 20-inch ¹⁾²⁾	9.0 J x 20 H2	50	FA	275/45 ZR 20	(110 Y) XL	Continental ContiSportContact 5P	N0	C	A) 73 dB
						Bridgestone Dueler H/P Sport	N0	C	B) 72 dB
						Pirelli P-Zero	N0	B	A) 69 dB
	10.5 J x 20 H2	64	RA	305/40 ZR 20	(112 Y) XL	Continental ContiSportContact 5P	N0	C	A) 73 dB
						Bridgestone Dueler H/P Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N0	B	A) 70 dB
Wheel size 21-inch ²⁾	9.5 J x 21 H2	46	FA	285/40 ZR 21	(109 Y) XL	Pirelli P-Zero	N0	B	A) 70 dB
	11.0 J x 21 H2	58	RA	315/35 ZR 21	(111 Y) XL	Pirelli P-Zero	N0	B	A) 70 dB
Type 9YA	Cayenne Turbo									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch ¹⁾²⁾	9.0 J x 20 H2	50	FA	275/45 ZR 20	(110 Y) XL	Continental ContiSportContact 5P	N0	C	A) 73 dB
						Bridgestone Dueler H/P Sport	N0	C	B) 72 dB
						Pirelli P-Zero	N0	B	A) 69 dB
	10.5 J x 20 H2	64	RA	305/40 ZR 20	(112 Y) XL	Continental ContiSportContact 5P	N0	C	A) 73 dB
						Bridgestone Dueler H/P Sport	N0	C	B) 73 dB
Wheel size 21-inch ²⁾	9.5 J x 21 H2	46	FA	285/40 ZR 21	(109 Y) XL	Pirelli P-Zero	N0	B	A) 70 dB
	11.0 J x 21 H2	58	RA	315/35 ZR 21	(111 Y) XL	Pirelli P-Zero	N0	B	A) 70 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB)
- 2) Only with wheel arch extensions or SportDesign package
- 3) Not for vehicles with Porsche Surface Coated Brake (PSCB)

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.

Panamera - model year 2010 – 2013

As at: 01/2017

Approved makes of summer tyres

Type 970	Panamera, Panamera 4, Panamera Diesel, Panamera S, Panamera 4S, Panamera S Hybrid									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ¹⁾	8J x 18	59	FA	245/50 ZR 18	(100 Y)	Continental SportContact 5	N0	C	A) 73 dB
						Pirelli P-Zero	N1	F	A) 71 dB
						Pirelli P-Zero	N0	F	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 70 dB
						Continental SportContact 5	N0	C	A) 75 dB
	9J x 18	53	RA	275/45 ZR 18	(103 Y)	Pirelli P-Zero	N1	E	A) 72 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 69 dB
						Continental SportContact 5	N0	C	A) 75 dB
						Continental SportContact 5	N0	C	A) 75 dB
Wheel size 19-inch	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 70 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	E	A) 71 dB
						Goodyear Eagle F1 Asymmetric	N0	E	C) 73 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	F	B) 75 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	F	B) 75 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Yokohama Advan Sport	N0	F	B) 75 dB

Type 970 Panamera GTS, Panamera Turbo, Panamera Turbo S

	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch ¹⁾	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 70 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 72 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 73 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Yokohama Advan Sport	N0	E	A) 73 dB
						Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Yokohama Advan Sport	N0	E	A) 74 dB
						Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Not for vehicles with PCCB.

Please contact your Porsche partner to discuss the possibility of fitting 5-mm wheel spacers.

Panamera from model year 2014 - 2016

As at: 01/2017

Approved makes of summer tyres

Type 970	Panamera, Panamera 4, Panamera Diesel, Panamera S, Panamera 4S, Panamera S E-Hybrid									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ¹⁾	8J x 18	59	FA	245/50 ZR 18	(100 Y)	Continental SportContact 5	N0	C	A) 73 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 70 dB
						Pirelli P-Zero	N1	F	A) 71 dB
	9J x 18	53	RA	275/45 ZR 18	(103 Y)	Continental SportContact 5	N0	C	A) 75 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 69 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 19-inch	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	F	B) 75 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
Type 970	Panamera S Executive, Panamera 4S Executive									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Type 970		Panamera GTS, Panamera Turbo, Panamera Turbo Executive								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch ¹⁾	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Type 970		Panamera Turbo S, Panamera Turbo S Executive								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Not for vehicles with PCCB.

Please contact your Porsche partner to discuss the possibility of fitting 5-mm wheel spacers.

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.

Panamera as of model year 2017

As at: 07/2018

Approved makes of summer tyres

Type 971 Panamera, Panamera 4, Panamera 4 Executive, Panamera 4S, Panamera 4S Executive, Panamera 4S Diesel, Panamera 4 E-Hybrid, Panamera 4 E-Hybrid Executive										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 19-inch	9J x 19	64	FA	265/45 ZR 19	(105 Y) XL	Michelin Pilot Sport 4	N0	C	B) 71 dB
						Goodyear Eagle F1 Asymmetric 3	N0	B	A) 69 dB
	10.5J x 19	62	RA	295/40 ZR 19	(108 Y) XL	Michelin Pilot Sport 4	N0	B	B) 73 dB
						Goodyear Eagle F1 Asymmetric 3	N0	C	A) 70 dB
Wheel size 20-inch	9.5J x 20	71	FA	275/40 ZR 20	(106 Y) XL	Michelin Pilot Sport 4 ²⁾	N0	C	A) 71 dB
	11.5J x 20	68	RA	315/35 ZR 20	(110 Y) XL	Michelin Pilot Sport 4 ²⁾	N0	C	A) 73 dB
Wheel size 21-inch	9.5J x 21	71	FA	275/35 ZR 21	(103 Y) XL	Pirelli P-Zero	N1	C	A) 71 dB
						Continental ContiSportContact 5 P	N0	C	A) 73 dB
	11.5J x 21	69	RA	315/30 ZR 21	(105 Y) XL	Pirelli P-Zero	N1	C	A) 72 dB
						Continental ContiSportContact 5 P	N0	C	A) 75 dB

Type 971 Panamera Turbo, Panamera Turbo Executive										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 20-inch	9.5J x 20	71	FA	275/40 ZR 20	(106 Y) XL	Michelin Pilot Sport 4 ²⁾	N0	C	A) 71 dB
	11.5J x 20	68	RA	315/35 ZR 20	(110 Y) XL	Michelin Pilot Sport 4 ²⁾	N0	C	A) 73 dB
Wheel size 21-inch	9.5J x 21	71	FA	275/35 ZR 21	(103 Y) XL	Pirelli P-Zero	N1	C	A) 71 dB
						Continental ContiSportContact 5 P	N0	C	A) 73 dB
	11.5J x 21	69	RA	315/30 ZR 21	(105 Y) XL	Pirelli P-Zero	N1	C	A) 72 dB
						Continental ContiSportContact 5 P	N0	C	A) 75 dB

Type 971 Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 21-inch	9.5J x 21	71	FA	275/35 ZR 21	(103 Y) XL	Pirelli P-Zero	N1	C	A) 71 dB
						Continental ContiSportContact 5 P	N0	C	A) 73 dB
						Michelin Pilot Sport 4	N0	C	B) 71 dB
	11.5J x 21	69	RA	315/30 ZR 21	(105 Y) XL	Pirelli P-Zero	N1	C	A) 72 dB
						Continental ContiSportContact 5 P	N0	C	A) 75 dB
						(108 Y) XL	Michelin Pilot Sport 4	N0	C	B

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for China
- 2) Noise Cancelling

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.

Macan as of model year 2014

Approved makes of summer tyres

As at: 12/2016

Type 95B	Macan, Macan S, Macan GTS, Macan Turbo, Macan S Diesel									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission
Wheel size 18-inch ¹⁾	8J x 18	21	FA	235/60 R 18	103 W	Continental SportContact 5	N0	C	A) 71 dB
						Michelin Latitude Sport 3	N0	C	A) 71 dB
						Pirelli Scorpion Verde	N0	C	B) 71 dB
						Hankook Ventus Solus S1 evo ²	N0	C	B) 70 dB
						Continental SportContact 5	N0	C	A) 72 dB
	9J x 18	21	RA	255/55 R 18	105 W	Continental SportContact 5	N0	C	A) 71 dB
						Michelin Latitude Sport 3	N0	C	A) 71 dB
						Pirelli Scorpion Verde	N0	C	B) 71 dB
						Hankook Ventus Solus S1 evo ²	N0	C	B) 71 dB
						Continental SportContact 5	N0	C	A) 72 dB
Wheel size 19-inch	8J x 19	21	FA	235/55 R 19	101 Y	Continental SportContact 5	N0	C	A) 71 dB
						Pirelli Scorpion Verde	N0	B	B) 71 dB
						Goodyear Eagle F1 Asym. 2	N0	C	A) 69 dB
						Hankook Ventus Solus S1 evo ²	N0	C	A) 70 dB
						Michelin Latitude Sport 3	N0	C	A) 71 dB
	9J x 19	21	RA	255/50 R 19	103 Y	Nexen N'FERA RU1	N0	C	B) 70 dB
						Continental SportContact 5	N0	C	A) 72 dB
						Pirelli Scorpion Verde	N0	B	B) 71 dB
						Goodyear Eagle F1 Asym. 2	N0	C	A) 71 dB
						Hankook Ventus Solus S1 evo ²	N0	C	A) 70 dB
						Michelin Latitude Sport 3	N0	C	A) 71 dB
						Nexen N'FERA RU1	N0	C	A) 72 dB
						Continental SportContact 5	N0	C	A) 72 dB
						Pirelli Scorpion Verde	N0	B	B) 71 dB
						Goodyear Eagle F1 Asym. 2	N0	C	A) 71 dB
Wheel size 20-inch ²⁾	9J x 20	26	FA	265/45 R 20	104 Y	Michelin Latitude Sport 3	N0	C	A) 71 dB
						Pirelli P-Zero	N0	B	A) 71 dB
	10J x 20	19	RA	295/40 R 20	106 Y	Michelin Latitude Sport 3	N0	C	A) 71 dB
						Pirelli P-Zero	N0	B	A) 71 dB
Wheel size 21-inch ²⁾	9J x 21	26	FA	265/40 R 21	101 Y	Continental SportContact 5P	N0	C	A) 72 dB
						Michelin Latitude Sport 3	N0	C	A) 71 dB
						Pirelli P-Zero	N0	B	A) 71 dB
	10J x 21	19	RA	295/35 R 21	103 Y	Continental SportContact 5P	N0	C	A) 74 dB
						Michelin Latitude Sport 3	N0	C	A) 71 dB
						Pirelli P-Zero	N0	B	A) 71 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
W = 270 km/h
Y = 300 km/h

- 1) Only for Macan, Macan S, Macan S Diesel, not for vehicles with PCCB.
- 2) Only with wheel arch extensions on the RA

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.