

# Boxster, Cayman - model year 2005 – 2012

As at: 01/2017

Approved makes of winter tyres

Type 987 Boxster, Cayman (model year 2005 – 2008)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 17-inch	6.5J x 17	55	FA	205/55 R 17 <sup>1)</sup>	91 V	Continental	Winter Contact TS 810 Sport	N2	E	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 72 dB	Yes
	8J x 17	40	RA	235/50 R 17 <sup>1)</sup>	96 V	Continental	Winter Contact TS 810 Sport	N2	F	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 72 dB	Yes
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Continental	Winter Contact TS 810 Sport	N1	E	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	9J x 18	43	RA	255/40 R 18	95 V	Continental	Winter Contact TS 810 Sport	N1	F	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 987 Boxster, Cayman (model year 2009 – 2012)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 17-inch	7J x 17	55	FA	205/55 R 17 <sup>1)</sup>	91 V	Continental	Winter Contact TS 810 Sport	N2	E	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 72 dB	Yes
	8.5J x 17	40	RA	235/50 R 17 <sup>1)</sup>	96 V	Continental	Winter Contact TS 810 Sport	N2	F	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 72 dB	Yes
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Continental	Winter Contact TS 810 Sport	N1	E	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	9J x 18	43	RA	255/40 R 18	95 V	Continental	Winter Contact TS 810 Sport	N1	F	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 987 Boxster S, Cayman S (model year 2005 – 2008)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Continental	Winter Contact TS 810 Sport	N1	E	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	9J x 18	43	RA	255/40 R 18	95 V	Continental	Winter Contact TS 810 Sport	N1	F	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 987 Boxster S, Boxster Spyder, Cayman S, Cayman R (model year 2009 – 2012)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Continental	Winter Contact TS 810 Sport	N1	E	C	) 72 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	9J x 18	43	RA	255/40 R 18	95 V	Continental	Winter Contact TS 810 Sport	N1	F	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

Snow chains should not be fitted in conjunction with spacers.

1) Not for Cayman S/Boxster S.

"Pirelli Winter 240 Sottozero" tyres - with identical N specification codes "N..." - are also approved. These tyres can be mixed with "Pirelli Winter 240 Sottozero Serie II" tyres provided the N specification codes of the two tyre types are identical. The Porsche versions of the tyre types "Pirelli Winter 240 Sottozero" and "Pirelli Winter 240 Sottozero Serie II" with identical N specification codes are identical, even down to the inscription on the side wall.

# Boxster, Cayman - model year 2013 – 2016

As at: 05/2017

Approved makes of winter tyres

Type 981 Boxster, Boxster S, Boxster GTS, Boxster Spyder/Cayman, Cayman S, Cayman GTS												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8 x 18	57	FA	235/45 R 18	94 V	Dunlop	SP Winter Sport 3D	N0	E	C	) 69 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	9J x 18	47	RA	265/45 R 18	101 V	Dunlop	SP Winter Sport 3D	N0	F	C	) 71 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 73 dB	Yes
Wheel size 19-inch	8J x 19	57	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 70 dB	No
	9.5J x 19	45	RA	265/40 R 19	98 V	Continental	WinterContact TS 830 P	N0	E	C	) 71 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	No

Type 981 Cayman GT4												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	8.5J x 20	57	FA	235/35 R 20	92 V	Michelin	Pilot Alpin PA4	N0	E	C	) 70 dB	No
	10J x 20	50	RA	275/30 R 20	97 V	Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	Yes
	8.5J x 20	61	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 70 dB	No
	11J x 20	50	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	No
						Michelin	Pilot Alpin PA4	N0	C	C	) 74 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

Snow chains should not be fitted in conjunction with spacers.

## 718 Boxster, 718 Cayman from model year 2017

As at: 06/2018

Approved makes of winter tyres

Type 982	718 Boxster, 718 Boxster S, Boxster GTS, 718 Cayman, 718 Cayman S, Cayman GTS											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8 x 18	57	FA	235/45 R 18	94 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	9.5J x 18	49	RA	265/45 R 18	101 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 73 dB	Yes
Wheel size 19-inch	8J x 19	57	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 70 dB	No
	10J x 19	45	RA	265/40 R 19	98 V	Continental	WinterContact TS 830 P	N0	E	C	) 71 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

**911 - model year 2005 – 2012**

As at: 01/2017

Approved makes of winter tyres

Type 997 911 Carrera, 911 Carrera S (model year 2005 – 2008)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	10J x 18	58	RA	265/40 R 18	97 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Nokian	WR	N0	E	E	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	No
	11J x 19	67	RA	295/30 R 19	100 V XL	Nokian	WR	N0	E	E	) 76 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	No

Type 997 911 Carrera, 911 Carrera S (model year 2009 – 2012)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
						Continental	Winter Contact TS 810 Sport	N1	E	C	) 72 dB	Yes
	10J x 18	60	RA	265/40 R 18	97 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes
						Continental	Winter Contact TS 810 Sport	N1	F	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N2	C	C	) 72 dB	No
10.5J x 18	60	RA	295/35 R 18	99 V	Pirelli	Winter 240 Sottozero Serie II	N2	E	C	) 73 dB	No	
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Nokian	WR	N0	E	E	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	No
	11J x 19	67	RA	295/30 R 19	100 V XL	Nokian	WR	N0	E	E	) 76 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	No

Type 997 911 Carrera 4, Carrera 4S, 911 Targa 4, Targa 4S (model year 2005 – 2008)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Nokian	WR	N0	E	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 18	51	RA	295/35 R 18	99 V	Nokian	WR	N0	E	E	) 76 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 73 dB	Yes
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Nokian	WR	N0	E	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Nokian	WR	N0	E	E	) 76 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 Carrera 4, Carrera 4S, 911 Targa 4, Targa 4S (model year 2009 – 2012)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch	8J x 18	57	FA	235/40 R 18	91 V	Nokian	WR	N0	E	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N2	C	C	) 72 dB	Yes
	11J x 18	51	RA	295/35 R 18	99 V	Nokian	WR	N0	E	E	) 76 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N2	E	C	) 73 dB	Yes
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Nokian	WR	N0	E	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Nokian	WR	N0	E	E	) 76 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 Sport Classic												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Nokian	WR	N0	E	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Nokian	WR	N0	E	E	) 76 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 Carrera GTS, 911 Carrera 4 GTS, 911 Turbo, 911 Turbo S												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch <sup>1)</sup>	8J x 18	57	FA	235/40 R 18 <sup>1)</sup>	91 V	Nokian	WR	N0	E	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N2	C	C	) 72 dB	Yes
	11J x 18	51	RA	295/35 R 18 <sup>1)</sup>	99 V	Nokian	WR	N0	E	E	) 76 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N2	E	C	) 73 dB	Yes
Wheel size 19-inch	8.5J x 19	56	FA	235/35 R 19	87 V	Nokian	WR	N0	E	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Nokian	WR	N0	E	E	) 76 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 GT2												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 GT2 RS												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8.5J x 19	56	FA	235/35 R 19	87 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 GT3 (model year 2007 – 2008)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	67	RA	295/30 R 19	100 V XL	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 GT3 RS (model year 2007 – 2008)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8J x 19	57	FA	235/35 R 19	87 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 GT3 (model year 2010 – 2011)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8J x 19	53	FA	235/35 R 19	87 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	67	RA	295/30 R 19	100 V XL	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Type 997 911 GT3 (model year 2010 – 2011)												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8J x 19	56	FA	235/35 R 19	87 V	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 72 dB	Yes
	11J x 19	51	RA	295/30 R 19	100 V XL	Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

"Pirelli Winter 240 Sottozero" tyres - with identical N specification codes "N..." - are also approved. These tyres can be mixed with "Pirelli Winter 240 Sottozero Serie II" tyres provided the N specification codes of the two tyre types are identical. The Porsche versions of the tyre types "Pirelli Winter 240 Sottozero" and "Pirelli Winter 240 Sottozero Serie II" with identical N specification codes are identical, even down to the inscription on the side wall.

Speed index:  
V = 240 km/h

Snow chains should not be fitted in conjunction with spacers.

1) Not for vehicles with Porsche Carbon Composite Brake (PCCB).

# 911 - model year 2012 – 2016

As at: 05/2017

## Approved makes of winter tyres

Type 991		911 Carrera, 911 Carrera S										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8.5J x 19	54	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	11J x 19	69	RA	285/35 R 19	99 V	Continental	WinterContact TS 830 P	N0	E	C	) 71 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
Wheel size 20-inch	8.5J x 20	51	FA	245/35 R 20	91 V	Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	11J x 20	70	RA	295/30 R 20	101 V XL	Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	No

Type 991		911 Carrera 4, 911 Carrera 4S, 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4, 911 Targa 4S, 911 Targa 4 GTS, Jubilee model "50 years 911"										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	8.5J x 19	54	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	11J x 19	48	RA	295/35 R 19	100 V	Continental	WinterContact TS 830 P	N0	E	C	) 71 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
Wheel size 20-inch	8.5J x 20	51	FA	245/35 R 20	91 V	Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	11J x 20	52	RA	295/30 R 20	101 V XL	Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes

Type 991		911 Turbo, 911 Turbo S										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	8.5J x 20	51	FA	245/35 R 20	91 V	Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	11J x 20	52 <sup>1)</sup>	RA	295/30 R 20	101 V XL	Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	No
	11J x 20	56	RA	295/30 R 20	101 V XL	Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
11J x 20	59	RA	295/30 R 20	101 V XL	Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	Yes	
					Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes	

Type 991		911 GT3, 911 R										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	9J x 20	51	FA	245/35 R 20	91 V	Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	11J x 20	59	RA	295/30 R 20	101 V XL	Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes

Type 991		911 GT3 RS										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	9J x 20	55	FA	245/35 R 20	91 V	Michelin	Pilot Alpin PA4	N0	E	E	) 70 dB	No
	12J x 20	47	RA	315/35 R 20	110 V XL	Michelin	Pilot Alpin PA4	N0	C	E	) 73 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

Snow chains should not be fitted in conjunction with spacers.

1) Depending on equipment; please consult your Porsche partner.

Type 991 911 Carrera												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch <sup>1)</sup>	8.5J x 19	50	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
	11J x 19	77	RA	295/35 R 19	100 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Continental	WinterContact TS 830 P	N0	F	C	) 75 dB	Yes
Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes						
Wheel size 20-inch	8.5J x 20	49	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	11J x 20	78	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	E	) 74 dB	Yes
Type 991 911 Carrera S												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch <sup>1,2)</sup>	8.5J x 19	50	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
	11J x 19	77	RA	295/35 R 19	100 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Continental	WinterContact TS 830 P	N0	F	C	) 75 dB	Yes
Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes						
Wheel size 20-inch	8.5J x 20	49	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	11J x 20	78	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	E	) 74 dB	Yes
Type 991 911 Carrera 4, 911 Targa 4												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch <sup>1)</sup>	8.5J x 19	50	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
	11J x 19	56	RA	295/35 R 19	100 V	Continental	WinterContact TS 830 P	N0	F	C	) 75 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
Wheel size 20-inch	8.5J x 20	49	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	11J x 20	56	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	E	) 74 dB	Yes
Type 991 911 Carrera 4S, 911 Targa 4S												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch <sup>1,2)</sup>	8.5J x 19	50	FA	235/40 R 19	92 V	Continental	WinterContact TS 830 P	N0	F	C	) 72 dB	No
	11J x 19	56	RA	295/35 R 19	100 V	Continental	WinterContact TS 830 P	N0	F	C	) 75 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
Wheel size 20-inch	8.5J x 20	49	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	11J x 20	56	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	E	) 74 dB	Yes
Type 991 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4 GTS												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	8.5J x 20	49	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	11J x 20	56	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	Yes
	8.5J x 20	51 <sup>3)</sup>	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
11J x 20	59 <sup>3)</sup>	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes	
					Michelin	Pilot Alpin PA4	N1	C	E	) 74 dB	Yes	
Type 991 911 Turbo, 911 Turbo S												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	8.5J x 20	51	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	11J x 20	56	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	Yes
	11J x 20	59 <sup>3)</sup>	RA	295/30 R 20	97 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	C	) 73 dB	Yes
Michelin						Pilot Alpin PA4	N1	C	E	) 74 dB	Yes	
Type 991 911 GT3, GT3 R												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	9J x 20	51	FA	245/35 R 20	91 V	Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	No
	11J x 20	59	RA	295/30 R 20	97 V	Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	C	C	) 73 dB	Yes
Michelin	Pilot Alpin PA4	N1	C	E	) 74 dB	Yes						
Type 991 911 GT3 RS												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	9J x 20	55	FA	245/35 R 20	91 V	Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	12J x 20	47	RA	315/35 R 20	110 V	Michelin	Pilot Alpin PA4	N1	C	E	) 74 dB	Yes
Type 991 911 GT2 RS												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20 inches	9J x 20	55	FA	245/35 R 20	91 V	Michelin	Pilot Alpin PA4	N1	E	E	) 70 dB	No
	12J x 20	47	RA	315/35 R 20	110V XL	Michelin	Pilot Alpin PA4	N1	C	E	) 73 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specificationcode (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB)
- 2) Not for vehicles with rear-axle steering
- 3) Vehicles with central wheel lock

# Cayenne - model year 2003 – 2006

As at: 04/2016

## Approved makes of winter tyres

Type 9PA	Cayenne											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 17-inch	7.5J x 17	53	FA/RA	235/65 R 17 <sup>1)2)</sup>	108 H	Pirelli	Scorpion Winter <sup>5)</sup>	N1	C	C	)) 72 dB	Yes
Wheel size 18-inch	8J x 18	57	FA/RA	235/60 R 18 <sup>2)3)</sup>	107 H	Dunlop	Grandtrek WT M2	N0	-	-	-	Yes
						Pirelli	Scorpion Ice&Snow	N0	C	B	)) 71 dB	Yes
				255/55 R 18 <sup>3)</sup>	109 V	Pirelli	Scorpion Ice&Snow <sup>5)</sup>	N1	C	B	)) 72 dB	Yes
Wheel size 19-inch	9J x 19	60	FA/RA	255/50 R 19	107 V	Pirelli	Scorpion Winter <sup>5)</sup>	N1	C	C	)) 72 dB	RA only
Wheel size 20-inch	9J x 20	60	FA/RA	275/40 R 20 <sup>4)</sup>	106 V	Pirelli	Scorpion Winter <sup>5)</sup>	N1	C	C	)) 72 dB	RA only
	10J x 20	55	RA	275/40 R 20 <sup>4)</sup>	106 V	Pirelli	Scorpion Winter <sup>5)</sup>	N1	C	C	)) 72 dB	No

Only tyres of the same make and type, with the same speed index and the same specificationcode (N0, N1, N2 ...) may be used

Speed index:  
H = 210 km/h  
V = 240 km/h

1) Not for Cayenne S, Cayenne Turbo, Cayenne Turbo S.

2) Not for Australia.

3) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S.

4) For Cayenne with TPM: For all Cayenne models, the tyre size 275/40 R20 and the related pressures for Part load 2.6/2.9 and Full load 2.7/3.4 must be coded in the menu "Tyre pressure" — "Settings" — "Tyre (type)" — "Winter tyres" in the user-programmable field for the tyre size (using the PIWIS Tester).

5) Available from end of August 2016 at the earliest

Snow chains should not be fitted in conjunction with spacers.



## Cayenne - model year 2008 – 2010

As at: 04/2016

Approved makes of winter tyres

Type 9PA	Cayenne											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 17-inch <sup>1)</sup>	7.5J x 17	53	FA/RA	235/65 R 17 <sup>1)3)</sup>	108 H	Pirelli	Scorpion Winter <sup>4)</sup>	N1	C	C	)) 72 dB	Yes
Wheel size 18-inch <sup>2)</sup>	8J x 18	57	FA/RA	255/55 R 18 <sup>2)3)</sup>	109 V	Pirelli	Scorpion Ice&Snow <sup>4)</sup>	N1	C	B	)) 72 dB	Yes
Wheel size 19-inch	9J x 19	60	FA/RA	255/50 R 19 <sup>3)</sup>	107 V	Pirelli	Scorpion Winter <sup>4)</sup>	N1	C	C	)) 72 dB	Yes
Wheel size 20-inch	9J x 20	60	FA/RA	275/40 R 20	106 V	Pirelli	Scorpion Winter <sup>4)</sup>	N1	C	C	)) 72 dB	RA only
	10J x 20	55	RA	275/40 R 20	106 V	Pirelli	Scorpion Winter <sup>4)</sup>	N1	C	C	)) 72 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
H = 210 km/h  
V = 240 km/h

1) Only for Cayenne (V6).

2) Not for Cayenne Turbo with Power kit "E81", Cayenne Turbo S and Cayenne Turbo from model year 2009.

3) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), I-no. PB1.

4) Available from end of August 2016 at the earliest

Snow chains should not be fitted in conjunction with spacers.

# Cayenne - model year 2011 – 2014

As at: 01/2014

Approved makes of winter tyres

Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Hybrid, Cayenne S Diesel, Cayenne GTS												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch <sup>1)</sup>	8J x 18	53	FA/RA	255/55 R 18 <sup>1)</sup>	109 V XL	Michelin	Latitude Alpin HP	N1	C	C	) 72 dB	Yes
						Dunlop	SP Winter Sport 3D	N0	E	C	) 72 dB	Yes
						Pirelli	Scorpion Ice + Snow	N0	C	B	) 72 dB	Yes
Wheel size 19-inch <sup>2)</sup>	8.5J x 19	59	FA/RA	265/50 R 19	109 V XL	Dunlop	SP Winter Sport 3D	N0	C	E	) 73 dB	RA only
						Pirelli	Scorpion Ice + Snow	N0	C	B	) 72 dB	RA only
Wheel size 20-inch	9J x 20	57	FA/RA	275/45 R 20	110 V XL	Dunlop	SP Winter Sport 3D	N0	E	C	) 70 dB	RA only
						Pirelli	Scorpion Ice + Snow	N0	C	B	) 72 dB	RA only
	9.5J x 20	47	FA/RA	275/45 R 20	110 V XL	Dunlop	SP Winter Sport 3D	N0	E	C	) 70 dB	No
						Pirelli	Scorpion Ice + Snow	N0	C	B	) 72 dB	No

Type 92A Cayenne Turbo, Cayenne Turbo S												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch <sup>1)</sup>	8.5J x 19	59	FA/RA	265/50 R 19 <sup>1)</sup>	109 V XL	Dunlop	SP Winter Sport 3D	N0	C	E	) 73 dB	RA only
						Pirelli	Scorpion Ice + Snow	N0	C	B	) 72 dB	RA only
Wheel size 20-inch	9J x 20	57	FA/RA	275/45 R 20	110 V XL	Dunlop	SP Winter Sport 3D	N0	E	C	) 70 dB	RA only
						Pirelli	Scorpion Ice + Snow	N0	C	B	) 72 dB	RA only
	9.5J x 20	47	FA/RA	275/45 R 20	110 V XL	Dunlop	SP Winter Sport 3D	N0	E	C	) 70 dB	No
						Pirelli	Scorpion Ice + Snow	N0	C	B	) 72 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), I-no. PB1.

2) Not for Cayenne GTS vehicles with Porsche Ceramic Composite Brake (PCCB), I-no. PB1.

Snow chains should not be fitted in conjunction with spacers.

# Cayenne from model year 2015

As at: 05/2017

## Approved makes of winter tyres

Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Diesel, Cayenne S E-Hybrid												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch <sup>1)</sup>	8J x 18	53	FA/RA	255/55 R 18	109 V XL	Michelin	Latitude Alpin HP	N1	C	C	) 72 dB	Yes
						Dunlop	SP Winter Sport 3D	N0	E	C	) 72 dB	Yes
						Pirelli	Scorpion Ice & Snow	N1	C	B	) 72 dB	Yes
Wheel size 19-inch <sup>6)</sup>	8.5J x 19	59	FA/RA	265/50 R 19	110 V XL	Dunlop <sup>4)</sup>	SP Winter Sport 3D <sup>4)</sup>	N0	C	E	) 73 dB	RA only
						Pirelli <sup>5)</sup>	Scorpion Winter <sup>5)</sup>	N0	C	C	) 73 dB	RA only
Wheel size 20-inch	9J x 20	57	FA/RA	275/45 R 20	110 V XL	Dunlop <sup>4)</sup>	SP Winter Sport 3D <sup>4)</sup>	N0	E	C	) 70 dB	RA only
						Michelin <sup>5)</sup>	Latitude Alpin LA2 <sup>5)</sup>	N0	C	C	) 72 dB	RA only
	9.5J x 20 <sup>2)</sup>	47	FA/RA	275/45 R 20	110 V XL	Dunlop <sup>4)</sup>	SP Winter Sport 3D <sup>4)</sup>	N0	E	C	) 70 dB	No
						Michelin <sup>5)</sup>	Latitude Alpin LA2 <sup>5)</sup>	N0	C	C	) 72 dB	No

Type 92A Cayenne GTS, Cayenne Turbo												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch <sup>1)</sup>	8.5J x 19	59	FA/RA	265/50 R 19	110 V XL	Dunlop <sup>4)</sup>	SP Winter Sport 3D <sup>4)</sup>	N0	C	E	) 73 dB	RA only
						Pirelli <sup>5)</sup>	Scorpion Winter <sup>5)</sup>	N0	C	C	) 73 dB	RA only
Wheel size 20-inch	9J x 20 <sup>3)</sup>	57	FA/RA	275/45 R 20	110 V XL	Dunlop <sup>4)</sup>	SP Winter Sport 3D <sup>4)</sup>	N0	E	C	) 70 dB	RA only
						Michelin <sup>5)</sup>	Latitude Alpin LA2 <sup>5)</sup>	N0	C	C	) 72 dB	RA only
	9.5J x 20 <sup>2)</sup>	47	FA/RA	275/45 R 20	110 V XL	Dunlop <sup>4)</sup>	SP Winter Sport 3D <sup>4)</sup>	N0	E	C	) 70 dB	No
						Michelin <sup>5)</sup>	Latitude Alpin LA2 <sup>5)</sup>	N0	C	C	) 72 dB	No

Type 92A Cayenne Turbo S												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	9J x 20 <sup>3)</sup>	57	FA/RA	275/45 R 20	110 V XL	Dunlop	SP Winter Sport 3D	N0	E	C	) 70 dB	RA only
	9.5J x 20 <sup>2)</sup>	47	FA/RA	275/45 R 20	110 V XL	Dunlop	SP Winter Sport 3D	N0	E	C	) 70 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB)
- 2) Only with wheel arch extensions or SportDesign package
- 3) Permitted for vehicles with Porsche Ceramic Composite Brake (PCCB) depending on wheel type
- 4) Only for vehicles with air suspension
- 5) Only for vehicles with steel springs
- 6) Not for vehicles with 20-inch Porsche Ceramic Composite Brake (PCCB)

Snow chains should not be fitted in conjunction with spacers.

**Cayenne from model year 2018**  
Approved makes of winter tyres

As at: 02/2018

Type 9YA		Cayenne, Cayenne S										
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch <sup>1)3)</sup>	8.5J x 19H2	47	FA	255/55 R 19	111 V XL	Michelin	Pilot Alpin 5 SUV	N0	C	C	) 70 dB	Yes
	9.5J x 19H2	54	RA	275/50 R 19	112 V XL	Pirelli	Scorpion Winter	N0	B	B	) 69 dB	Yes
						Michelin	Pilot Alpin 5 SUV	N0	C	C	) 70 dB	Yes
						Pirelli	Scorpion Winter	N0	B	B	) 69 dB	Yes
Wheel size 20-inch <sup>1)2)</sup>	9.0J x 20H2	50	FA	275/45 R 20	110 V XL	Michelin	Pilot Alpin 5 SUV	N0	C	C	) 70 dB	No
	10.5J x 20H2	64	RA	305/40 R 20	112 V XL	Pirelli	Scorpion Winter	N0	C	B	) 69 dB	No
						Michelin	Pilot Alpin 5 SUV	N0	C	C	) 70 dB	Yes
						Pirelli	Scorpion Winter	N0	C	B	) 69 dB	Yes
Wheel size 21-inch <sup>2)</sup>	9.5J x 21H2	46	FA	275/40 R 21	107 V XL	Pirelli	Scorpion Winter	N0	C	B	) 69 dB	No
	11.0J x 21H2	58	RA	305/35 R 21	109 V XL	Pirelli	Scorpion Winter	N0	C	B	) 69 dB	Yes

Type 9YA		Cayenne Turbo										
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch <sup>1)2)</sup>	9.0J x 20H2	50	FA	275/45 R 20	110 V XL	Michelin	Pilot Alpin 5 SUV	N0	C	C	) 70 dB	No
	10.5J x 20H2	64	RA	305/40 R 20	112 V XL	Pirelli	Scorpion Winter	N0	C	B	) 69 dB	No
						Michelin	Pilot Alpin 5 SUV	N0	C	C	) 70 dB	Yes
						Pirelli	Scorpion Winter	N0	C	B	) 69 dB	Yes
Wheel size 21-inch <sup>2)</sup>	9.5J x 21H2	46	FA	275/40 R 21	107 V XL	Pirelli	Scorpion Winter	N0	C	B	) 69 dB	No
	11.0J x 21H2	58	RA	305/35 R 21	109 V XL	Pirelli	Scorpion Winter	N0	C	B	) 69 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB)
- 2) Only with wheel arch extensions or SportDesign package
- 3) Not for vehicles with Porsche Surface Coated Brake (PSCB)

Snow chains should not be fitted in conjunction with spacers.

# Panamera - model year 2010 – 2013

As at: 01/2017

## Approved makes of winter tyres

Type 970 Panamera, Panamera 4, Panamera S/4S, Panamera GTS, Panamera Turbo/Turbo S, Panamera Diesel, Panamera S Hybrid												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch <sup>1)</sup>	8J x 18	59	FA	245/50 R 18	100 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	B	) 73 dB	No
					104 V XL	Nokian	WR G2	N0	E	E	) 73 dB	No
	9J x 18	53	RA	275/45 R 18	103 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 73 dB	Yes
					107 V XL	Nokian	WR G2	N0	E	E	) 74 dB	Yes
Wheel size 19-inch <sup>2)</sup>	9J x 19	60	FA	255/45 R 19	100 V	Continental	WinterContact TS830 P	N0	E	C	) 73 dB	No
						Michelin	Pilot Alpin PA4	N1	C	C	) 71 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	10J x 19	61	RA	285/40 R 19	103 V	Continental	WinterContact TS810	N0	E	C	) 71 dB	No
						Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	Yes
						Continental	WinterContact TS810	N0	E	C	) 71 dB	Yes
						Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 73 dB	Yes
Wheel size 20-inch	9.5J x 20	65	FA	255/40 R 20	101 V	Continental	WinterContact TS810	N0	E	C	) 71 dB	No
						Continental	WinterContact TS830 P	N0	F	C	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	No
	10.5J x 20	65	RA	285/35 R 20	104 V	Continental	WinterContact TS810	N0	E	C	) 71 dB	Yes
						Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 73 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	Yes
						Michelin	Pilot Alpin PA4	N0	C	C	) 74 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brakes and not for Panamera GTS/Turbo/Turbo S.
- 2) For all vehicle types except for Panamera GTS/Turbo/Turbo S in combination with Porsche Ceramic Composite Brake (PCCB).

# Panamera from model year 2014 - 2016

As at: 01/2017

## Approved makes of winter tyres

### Type 970 Panamera, Panamera 4, Panamera Diesel, Panamera S E-Hybrid, Panamera S, Panamera 4S

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
18-inch <sup>1)</sup>	8J x 18	59	FA	245/50 R 18	100 V	Pirelli	Winter 240 Sottozero Serie II	N0	C	B	) 73 dB	No
						Nokian	WR G2	N0	E	E	) 73 dB	No
	9J x 18	53	RA	275/45 R 18	103 V	Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 73 dB	Yes
						Nokian	WR G2	N0	E	E	) 74 dB	Yes
19-inch	9J x 19	60	FA	255/45 R 19	100 V	Continental	WinterContact TS830 P	N0	E	C	) 73 dB	No
						Michelin	Pilot Alpin PA4	N1	C	C	) 71 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	10J x 19	61	RA	285/40 R 19	103 V	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	Yes
20-inch	9.5J x 20	65	FA	255/40 R 20	101 V	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	No
	10.5J x 20	65	RA	285/35 R 20	104 V XL	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N0	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	Yes

### Type 970 Panamera S Executive, Panamera 4S Executive

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
19-inch	9J x 19	60	FA	255/45 R 19	100 V	Continental	WinterContact TS830 P	N0	E	C	) 73 dB	No
						Michelin	Pilot Alpin PA4	N1	C	C	) 71 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	10J x 19	61	RA	285/40 R 19	103 V	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	Yes
20-inch	9.5J x 20	65	FA	255/40 R 20	101 V	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	No
	10.5J x 20	65	RA	285/35 R 20	104 V XL	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N0	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	Yes

### Type 970 Panamera GTS, Panamera Turbo, Panamera Turbo Executive

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
19-inch <sup>1)</sup>	9J x 19	60	FA	255/45 R 19	100 V	Continental	WinterContact TS830 P	N0	E	C	) 73 dB	No
						Michelin	Pilot Alpin PA4	N1	C	C	) 71 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	No
	10J x 19	61	RA	285/40 R 19	103 V	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N1	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N0	E	C	) 72 dB	Yes
20-inch	9.5J x 20	65	FA	255/40 R 20	101 V	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	No
	10.5J x 20	65	RA	285/35 R 20	104 V XL	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N0	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	Yes

### Type 970 Panamera Turbo S, Panamera Turbo S Executive

Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
20-inch	9.5J x 20	65	FA	255/40 R 20	101 V	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	No
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	No
						Michelin	Pilot Alpin PA4	N0	E	C	) 71 dB	No
	10.5J x 20	65	RA	285/35 R 20	104 V XL	Continental	WinterContact TS830 P	N0	F	C	) 73 dB	Yes
						Michelin	Pilot Alpin PA4	N0	C	C	) 74 dB	Yes
						Pirelli	Winter 240 Sottozero Serie II	N1	E	C	) 72 dB	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).

**Panamera as of model year 2017**

As at: 07/2017

Approved makes of winter tyres

Type 971 Panamera, Panamera 4, Panamera 4 Executive, Panamera 4S, Panamera 4S Executive, Panamera 4S Diesel, Panamera 4 E-Hybrid, Panamera 4 E-Hybrid Executive												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 19-inch	9J x 19	64	FA	265/45 R 19	105 V XL	Michelin	Pilot Alpin PA4	N0	C	E	) 71 dB	No
						Continental	ContiWinterContact TS 830 P	N0	E	C	) 73 dB	No
	10.5J x 19	62	RA	295/40 R 19	108 V XL	Michelin	Pilot Alpin PA4	N0	C	E	) 73 dB	Yes
						Continental	ContiWinterContact TS 830 P	N0	E	C	) 75 dB	Yes
Wheel size 20-inch	9.5J x 20	71	FA	275/40 R 20	106 V XL	Michelin	Pilot Alpin PA4	N0	C	E	) 73 dB	No
	10.5J x 20	71	RA	315/35 R 20	110 V XL	Michelin	Pilot Alpin PA4	N0	C	E	) 73 dB	Yes
Wheel size 21-inch	9.5J x 21	71	FA	275/35 R 21	103 V XL	Pirelli	Winter Sottozero 3	N0	C	B	) 73 dB	No
	10.5J x 21	71	RA	315/30 R 21	105 V XL	Pirelli	Winter Sottozero 3	N0	C	B	) 73 dB	Yes

Type 971 Panamera Turbo, Panamera Turbo Executive												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	9.5J x 20	71	FA	275/40 R 20	106 V XL	Michelin	Pilot Alpin PA4	N0	C	E	) 73 dB	No
	10.5J x 20	71	RA	315/35 R 20	110 V XL	Michelin	Pilot Alpin PA4	N0	C	E	) 73 dB	Yes
Wheel size 21-inch	9.5J x 21	71	FA	275/35 R 21	103 V XL	Pirelli	Winter Sottozero 3	N0	C	B	) 73 dB	No
	10.5J x 21	71	RA	315/30 R 21	105 V XL	Pirelli	Winter Sottozero 3	N0	C	B	) 73 dB	Yes

Type 971 Panamera Turbo S E-Hybrid, Panamera Turbo S E-Hybrid Executive												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 20-inch	9.5J x 20	71	FA	275/40 ZR 20	(106 Y) XL	Michelin	Pilot Alpin PA4	N0	tbd.	tbd.	tbd.	No
	10.5J x 20	71	RA	315/35 ZR 20	(110 Y) XL	Michelin	Pilot Alpin PA4	N0	tbd.	tbd.	tbd.	Yes
Wheel size 21-inch	9.5J x 21	71	FA	275/35 ZR 21	(103 Y) XL	Pirelli	Winter Sottozero 3	N0	tbd.	tbd.	tbd.	No
	10.5J x 21	71	RA	315/30 ZR 21	(105 Y) XL	Pirelli	Winter Sottozero 3	N0	tbd.	tbd.	tbd.	Yes

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

**Macan as of model year 2014**  
**Approved makes of winter tyres**

As at: 01/2017

Type 95B	Macan, Macan S, Macan GTS, Macan Turbo, Macan S Diesel											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Snow chains
Wheel size 18-inch <sup>1)</sup>	8J x 18	21	FA	235/60 R 18	103 V	Continental	WinterContact 830 P	N0	F	C	) 72 dB	No
						Pirelli	Scorpion Winter	N0	C	C	) 72 dB	No
	9J x 18	21	RA	255/55 R 18	105 V	Continental	WinterContact 830 P	N0	F	C	) 72 dB	Yes
						Pirelli	Scorpion Winter	N0	C	C	) 72 dB	Yes
Wheel size 19-inch	8J x 19	21	FA	235/55 R 19	101 V	Dunlop	SP Winter Sport 4D	N0	E	C	) 70 dB	No
						Pirelli	Scorpion Winter	N0	C	C	) 72 dB	No
	9J x 19	21	RA	255/50 R 19	103 V	Dunlop	SP Winter Sport 4D	N0	E	C	) 73 dB	Yes
						Pirelli	Scorpion Winter	N0	C	C	) 72 dB	Yes
Wheel size 20-inch <sup>2)</sup>	9J x 20	26	FA	265/45 R 20	104 V	Michelin	Latitude Alpin LA2	N0	E	C	) 71 dB	No
						Dunlop	Winter Sport 4D	N0	E	C	) 72 dB	No
						Pirelli	Scorpion Winter	N0	E	C	) 72 dB	No
	10J x 20	19	RA	295/40 R 20	106 V	Michelin	Latitude Alpin LA2	N0	E	C	) 74 dB	No
						Dunlop	Winter Sport 4D	N0	E	C	) 73 dB	No
						Pirelli	Scorpion Winter	N0	E	C	) 73 dB	No

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2 ...) may be used on a vehicle.

Speed index:  
V = 240 km/h

- 1) Not for Macan GTS, Macan Turbo and not for vehicles with Porsche Ceramic Composite Brake (PCCB)  
 2) Only with wheel arch extensions on the rear axle.