

Recommended makes and types of summer tyres

Type 356										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 15-inch	4.5Jx15	42	FA/RA	165 HR 15	Michelin XAS	-	-	-	-	356 B, all model years 356 C, all model years
	5.5Jx15	42	FA/RA	165 HR 15	Michelin XAS	-	-	-	-	356 C, all model years
	5.5Jx15	42	FA/RA	185/70 R15 89W	Pirelli P 6000 NEW	N2	F	E))) 71 dB	356 C, all model years
	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000 NEW	N2	F	E))) 71 dB	356 C, all model years

Only in conjunction with tyre size 165 HR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Recommended makes and types of summer tyres

Type 911/912		up to 1968									
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
							Rolling resistance	Wet grip	Noise emission		
15-inch	4.5 or 5.5Jx15	42	FA/RA	165 HR 15	Michelin XAS	-	-	-	-	911, MY '65 - '67 912, MY '66 - '68	
	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, MY '65 - '67 912, MY '66 - '68	
	6Jx15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, MY '65 - '67	
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	912, MY '66 - '68	
	6Jx15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, MY '65 - '67 912, MY '66 - '68	
	6Jx15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, MY '65 - '67	
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	912, MY '66 - '68	
Type 911		from 1969									
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
							Rolling resistance	Wet grip	Noise emission		
15-inch	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, from MY '69	
	6Jx15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, from MY '69	
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB		
	6Jx15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, from MY '69	
	6Jx15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, from MY '69	
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB		
	16-inch	6Jx16	36	FA	205/55 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	911, from MY '69
						Michelin Pilot Exalto PE2	N0	F	B))) 72 dB	
7Jx16		23,3	RA	205/55 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB		
					Michelin Pilot Exalto PE2	N0	F	B))) 72 dB		
6Jx16		36	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	911, from MY '69	
					Continental ContiSportContact NEW	N2	F	B) 71 dB		
					Michelin Pilot Exalto PE2	N0	F	B))) 72 dB		
7Jx16		23,3	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB		
				Continental ContiSportContact NEW	N2	F	B) 71 dB			
				Michelin Pilot Exalto PE2	N0	C	C))) 73 dB			
Type 911		Turbo (930)									
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
							Rolling resistance	Wet grip	Noise emission		
16-inch	7Jx16	23,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	911 Turbo (MY '75 - '89)	
					Continental ContiSportContact NEW	N2	F	B) 71 dB	911 Carrera 'Turbo Look' (MY '85 - '86)	
	8Jx16	10,6	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB		
					Continental ContiSportContact NEW	N2	F	B) 71 dB		
	7Jx16				205/55 ZR 16	Continental ContiSportContact NEW	N2	F	B) 71 dB	911 Carrera 'Turbo Look'
	9Jx16				245/45 ZR 16	Continental ContiSportContact NEW	N2	F	B) 71 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed Index:
V = 240 km/h (150 mph)
W = 270 km/h (169 mph)

Only in conjunction with tyre size 165 HR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 914/6	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 15-inch	5.5Jx15	42	FA/RA	165 HR 15	Michelin XAS	-	-	-	-	914/6, MY '70 - '72
	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	914/6, MY '70 - '72
	6Jx15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	914/6, MY '70 - '72
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	
	6Jx15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	914/6, MY '70 - '72
	6Jx15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	914/6, MY '70 - '72
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed Index:
V = 240 km/h (150 mph)
W = 270 km/h (169 mph)

Only in conjunction with tyre size 165 HR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 924										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 15-inch	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	924 Turbo, MY '79 - '82 924 Carrera GT, MY '81
	7Jx15	23,3	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	924 Turbo, MY '79 - '82 924 Carrera GT, MY '81
	7Jx15	23,3	FA/RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	924 Turbo, MY '79 - '82 924 Carrera GT, MY '81
Wheel size 16-inch	6Jx16	52,3/ 53	FA/RA	205/55 ZR16	Continental ContiSportContact NEW Michelin Pilot Exalto PE2	N2 N0	F F	B B) 71 dB))) 72 dB	924 Turbo, MY '79 - '82 924 S, MY '86 - '88
	6Jx16	52,3/ 53	FA	205/55 ZR16	Continental ContiSportContact NEW Michelin Pilot Exalto PE2	N2 N0	F F	B B) 71 dB))) 72 dB	924 Turbo, MY '79 - '82 924 S, MY '86 - '88
	7Jx16	52,3/ 55	RA	205/55 ZR16	Continental ContiSportContact NEW Michelin Pilot Exalto PE2	N2 N0	F F	B B) 71 dB))) 72 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed Index:
V = 240 km/h (150 mph)
W = 270 km/h (169 mph)

¹⁾ Load Index/Speed Index 91W

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 928										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size	7Jx16	65	FA/RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB	928, MY '78 - '82
16-inch					Continental ContiSportContact NEW	N2	F	B) 71 dB	928 S, MY '80 - '86
					Michelin Pilot Exalto PE2	N0	C	C))) 73 dB	
	7Jx16	65	FA	225/50 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	928 S4, CS, GT '89
	8Jx16	52,3	RA	245/45 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	
Wheel size	7.5Jx17	65	FA	225/45 ZR17	Michelin Pilot Sport PS2	N3	F	A) 70 dB	928 S4, CS, GT '89, GTS
17-inch										
	9Jx17	55	RA	255/40 ZR17	Michelin Pilot Sport PS2	N3	E	A) 70 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 944	EU tyre label									
	Size	RO	Axles	Tyre size	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Vehicles
Wheel size 15-inch	7Jx15	23,3	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	944, MY '82 - '86
	7Jx15	23,3	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	944, MY '82 - '86
	7Jx15	23,3	FA/RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	944, MY '82 - '86
	8Jx15	10,6	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	
Wheel size 16-inch	7Jx16	23,3	FA/RA	205/55 ZR16	Michelin Pilot Exalto PE2	N0	F	B))) 72 dB	944, MY '82 - '86
					Continental ContiSportContact NEW	N2	F	B) 71 dB	
	7Jx16	23,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	944, MY '82 - '86
					Continental ContiSportContact NEW	N2	F	B) 71 dB	944 Turbo, MY '85 - '86
					Michelin Pilot Exalto PE2	N0	F	B))) 72 dB	
	8Jx16	23,3	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB	
					Continental ContiSportContact NEW	N2	F	B) 71 dB	
					Michelin Pilot Exalto PE2	N0	C	C))) 73 dB	
	7Jx16	52,3/55	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	944, MY '87 - '89
					Continental ContiSportContact NEW	N2	F	B) 71 dB	944 S, MY '87 - '88
					Michelin Pilot Exalto PE2	N0	F	B))) 72 dB	944 S2, MY '89 - '91
	8Jx16	52,3/52	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB	
					Continental ContiSportContact NEW	N2	F	B) 71 dB	
					Michelin Pilot Exalto PE2	N0	C	C))) 73 dB	
	7Jx16	65	FA	225/50 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	944 S2 R01 chassis
	9Jx16	60	RA	245/45 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	
Wheel size 17-inch	7.5Jx17	65	FA	225/45 ZR17	Michelin Pilot Sport PS2	N3	F	A) 70 dB	944, MY '87 - '89
) 70 dB	944 S, MY '87 - '88
	9Jx17	55	RA	255/40 ZR17	Michelin Pilot Sport PS2	N3	E	A) 70 dB	944 S2, MY '89 - '91
) 70 dB	944 Turbo, MY '87 - '91

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 959										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size	8Jx17 DL	44	FA	235/45 ZR17	Bridgestone RE 71	NO	F	F))) 80 dB	959
17-inch	10Jx17 DL	28,3	RA	255/40 ZR17	Bridgestone RE 71	NO	F	F))) 80 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 964										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 16-inch	6Jx16	52/ 52,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94
					Michelin Pilot Exalto PE2	N0	F	B) 72 dB	
					Continental ContiSportContact NEW	N2	F	B) 71 dB	
	8Jx16	52/ 52,3	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B) 73 dB	
					Michelin Pilot Exalto PE2	N0	C	C) 73 dB	
					Continental ContiSportContact NEW	N2	F	B) 71 dB	
	7Jx16	55	FA	205/55 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92
	9Jx16 *)	52,3	RA	245/45 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	
Wheel size 17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94
					Continental ContiSportContact2	N2	G	B) 71 dB	
					Michelin Pilot Sport PS2	N3	F	A) 72 dB	
	8Jx17	52	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
					Michelin Pilot Sport PS2	N3	E	A) 70 dB	
	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94
					Continental ContiSportContact2	N2	G	B) 71 dB	
					Michelin Pilot Sport PS2	N3	F	A) 72 dB	
	9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
					Michelin Pilot Sport PS2	N3	E	A) 70 dB	
Type 964 Turbo										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	964 Turbo, MY '91 & '92 964 Turbo S, MY '92 964 C2 'Turbo Look', '92 - '93 964 C4 'Turbo Look', '93 & '94
					Continental ContiSportContact2	N2	G	B) 71 dB	
					Michelin Pilot Sport PS2	N3	F	A) 72 dB	
	9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
					Michelin Pilot Sport PS2	N3	E	A) 70 dB	
	8Jx17	52	FA	225/45 ZR17	Bridgestone S01	N0	-	-	-	964 Turbo, MY '91 & '92 964 Turbo S, MY '92
	9.5Jx17 *)	68	RA	275/35 ZR17	Bridgestone S01	N0	F	C) 73 dB	964 C2 'Turbo Look', '92 - '93 964 C4 'Turbo Look', '93 & '94
Wheel size 18-inch	8Jx18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	964 Turbo 3.6, MY '93 & '94
					Bridgestone Potenza S-02A	N3	G	C) 70 dB	
					Continental ContiSportContact2	N2	G	B) 71 dB	
	10Jx18	65/ 61	RA	265/35 ZR18	Michelin Pilot Sport PS2	N3	F	A) 70 dB	
					Pirelli P Zero Rosso	N4	E	A) 72 dB	
					Bridgestone Potenza S-02A	N3	F	C) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
					Michelin Pilot Sport PS2	N3	F	A) 70 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

¹ 17-mm spacers on rear axle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 968										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size	7.5Jx17	65	FA	225/45 ZR17	Bridgestone Potenza S-02	N3	G	C)]) 72 dB	968, MY '92 - '95
17-inch	9Jx17	55	RA	255/40 ZR17	Michelin Pilot Sport PS2	N3	F	A)]) 70 dB	968 CS, MY '93 - '95
					Bridgestone Potenza S-02	N3	F	C)]) 71 dB	
					Michelin Pilot Sport PS2	N3	E	A)]) 70 dB	
Type 968 Turbo S										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size	8Jx18	53	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	E	A)]) 71 dB	968 Turbo S, MY '93
18-inch	10Jx18	65	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A)]) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/matrix certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 993										
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
16-inch	7Jx16	55	FA	205/55 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	993 Carrera, MY '94 - '98
	9Jx16	70	RA	245/45 ZR16	Continental ContiSportContact NEW	N2	F	B) 71 dB	
17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	993 Carrera, MY '94 - '98
					Bridgestone Potenza S-02A	N4	F	C) 71 dB	993 Carrera RS, '95 & '96
					Continental ContiSportContact2	N2	G	B) 71 dB	993 Carrera S, MY '97 & '98
					Michelin Pilot Sport PS2	N3	F	A) 72 dB	
	9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A) 72 dB	
					Bridgestone Potenza S-02A	N4	F	C) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
					Michelin Pilot Sport PS2	N3	E	A) 70 dB	
18-inch	8Jx18	50/52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	993, MY '94 - '98
					Bridgestone Potenza S-02A	N3	G	C) 70 dB	993 Carrera RS, '95 & '96
					Continental ContiSportContact2	N2	G	B) 71 dB	<u>Not for Targa, Cabriolet before '96</u>
	10Jx18	65	RA	265/35 ZR18	Pirelli P Zero Rosso	N4	E	A) 72 dB	
					Bridgestone Potenza S-02A	N3	F	C) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
Type 993 GT 2										
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
18-inch	8Jx18	52	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	993 GT 2; MY '96 - '97
	10Jx18	40	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A) 73 dB	993 GT 2; MY '96 - '97
	10Jx18	40	RA	295/30 ZR18	Pirelli P Zero Rosso	N4	F	F) 80 dB	993 GT 2; MY '96 - '97
Type 993 Turbo										
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
18-inch	8Jx18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	993 Turbo
					Bridgestone Potenza S-02A	N3	G	C) 70 dB	993 Carrera S
					Continental ContiSportContact2	N2	G	B) 71 dB	993 Carrera 4S
					Michelin Pilot Sport PS2	N3	F	A) 70 dB	993 Turbo Look
	10Jx18	40/65 ¹⁾	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A) 73 dB	
					Bridgestone Potenza S-02A	N3	G	C) 73 dB	
					Continental ContiSportContact2	N2	G	B) 74 dB	
					Michelin Pilot Sport PS2	N3	E	A) 74 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

¹⁾ with 25-mm spacer on each wheel on rear axle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.